

## **SECTION 1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Product code : Hygienfresh OmniParfum Marine  
Trades code : A80-100  
Product line: Hygienfresh

UFI: V5F1-50XE-U00X-M03U

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Multifunctional essence for laundry and floors

Sectors of use:

Private households (= general public = consumers)[SU21], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Do not use for purposes other than those listed

### **1.3. Details of the supplier of the safety data sheet**

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: [info@tintolav.com](mailto:info@tintolav.com) - Sito internet: [www.tintolav.com](http://www.tintolav.com)

Email tecnico competente: [a.conedera@tintolav.com](mailto:a.conedera@tintolav.com)

National contact: Malta: Emergency Ambulance 112  
Accident & Emergency Department 2545 4030

### **1.4. Emergency telephone number**

The UK National Poisons Emergency number +44 (0)870 600 6266  
London: Emergency 24 hour telephone +44 (0) 207188 0100

## **SECTION 2. Hazards identification**

### **2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07, GHS09

Hazard Class and Category Code(s):

Skin Irrit. 2, Skin Sens. 1B, Eye Irrit. 2, Aquatic Chronic 2

Hazard statement Code(s):

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema

The product, if brought into contact with skin can cause skin sensitization.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

**2.2. Label elements**

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):  
GHS07, GHS09 - Warning



Hazard statement Code(s):  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):  
not applicable

Precautionary statements:

General

- P101 - If medical advice is needed, have product container or label at hand.
- P102 - Keep out of reach of children.

Prevention

- P261 - Avoid breathing vapours.
- P264 - Wash your hand thoroughly after handling.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

- P302+P352 - IF ON SKIN: Wash with plenty of water and soap.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.

Disposal

- P501 - Dispose of contents / container in accordance with local and national regulations.

Contains:

Aqua, C13-15 parath-7, PEG-40 Hydrogenated Castor oil, Isopropyl alcohol, Alcohol, Tetramethyl acetyloctahydronaphthalenes, Linalool, Limonene, 3-(4-Isobutyl-2-methylphenyl)propanal, Citronellol, Coumarin, methyl dihydroxy dimethylbenzoate, 2,4-dimethyl-3-cyclohexene carboxaldehyde, Lavandula hybrida extract Eugenol, alpha isomethyl ionone, Citral, methylchloroisothiazolinone, methylisothiazolinone.

Contains (Reg. EC 648/2004):

>= 15% < 30% perfumes non-ionic surfactants, < 5% Miscela di: 5-cloro-2-metil-2H-isotiazol-3-one [EC no. 247-500-7]; 2-metil-2H-isotiazol-3-one [EC no. 220-239-6] (3:1), linalolo, dipentene, Citronello, Coumarin, LAVANDULA HYBRIDA OIL, Allyl cyclohexyloxyacetate, Eugenol

Content of VOC ready to use condition: 4,78 %

UFI: V5F1-50XE-U00X-M03U

---

**2.3. Other hazards**

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

No information on other hazards

**SECTION 3. Composition/information on ingredients**
**3.1 Substances**

Irrilevant

**3.2 Mixtures**

Note C - Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
Alcohols, C13-15, branched and linear, ethoxylated	>= 5 <= 10,00%	Acute Tox. 4, H302; Eye Dam. 1, H318; Aquatic Chronic 3, H412 Limits: Eye Irrit. 2, H319 3<= %C <10; Eye Dam. 1, H318 %C >10; 1 1 ATE oral > 300,000 mg/kg	ND	157627-86-6	ND	ND
2,6-dimethyloct-7-en-2-ol - FEMA 0	>= 1 < 5%	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H336 ATE oral = 3.600,000 mg/kg ATE dermal = 5.000,000 mg/kg	ND	18479-58-8	242-362-4	01-2119457 274-37
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone - FEMA 0	>= 1 < 5%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 1, H410 1 1 ATE oral = 5.000,000 mg/kg	ND	54464-57-2	259-174-3	01-2119489 989-04

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
		ATE dermal = 5.000,000 mg/kg				
Propan-2-ol - FEMA 2929	>= 1 < 5%	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336 ATE oral = 2.100,000 mg/kg ATE dermal = 2.100,000 mg/kg ATE inhal = 29,000 mg/l/4 h	603-117-00-0	67-63-0	200-661-7	ND
Linalool	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 2.790,000 mg/kg ATE dermal = 5.610,000 mg/kg ATE inhal = 307,000 mg/l/4 h	603-235-00-2	78-70-6	201-134-4	01-2119474 016-42-000 0
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	>= 0,1 < 1%	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ATE oral = 3.250,000 mg/kg ATE dermal = 3.250,000 mg/kg	603-212-00-7	1222-05-5	214-946-9	01-2119488 227-29-000 0
dipentene Note: C	>= 0,1 < 1%	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ATE oral = 4.400,000 mg/kg ATE dermal = 5.000,000 mg/kg	601-096-00-2	5989-27-5	227-813-5	01-2119529 223-47-000 1
3-(4-Isobutyl-2-methylphenyl)prop anal	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319; Acute Tox. 4, H332; Aquatic Chronic 2, H411 ATE oral > 2.000,000 mg/kg ATE dermal > 2.000,000 mg/kg ATE inhal = 5,000 mg/l/4 h	ND	1637294-12-2	811-285-3	01-2120103 156-71
2,4-dimethylcyclohex-3-ene-1-carbaldehyde - FEMA 0	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 ATE oral = 4.000,000 mg/kg	ND	68039-49-6	268-264-1	ND

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
		ATE dermal = 5.000,000 mg/kg				
ethanol	>= 0,1 < 1%	Flam. Liq. 2, H225 ATE oral = 7.060,000 mg/kg ATE dermal = 20.000,000 mg/kg ATE inhal = 20.000,000 mg/l/4 h	603-002-00-5	64-17-5	200-578-6	01-2119457 610-43
Citronellol	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319; STOT SE 3, H335 ATE oral = 3.450,000 mg/kg ATE dermal = 2.650,000 mg/kg ATE inhal = 1,300 mg/l/4 h	ND	106-22-9	203-375-0	01-2119453 995-23-000 0
Coumarin	>= 0,1 < 1%	Acute Tox. 4, H302; Skin Sens. 1, H317; STOT RE 2, H373 ATE oral = 293,000 mg/kg ATE dermal = 242,000 mg/kg	ND	91-64-5	202-086-7	01-2119943 756-26-000 0
Eucalyptus globulus oil - FEMA 0	>= 0,1 < 1%	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411 1 1 ATE oral = 5.000,000 mg/kg	ND	84625-32-1	283-406-2	01-2119978 250-37
4-Methyl-3-decen-5-ol - FEMA 0	>= 0,1 < 1%	Aquatic Acute 1, H400; Aquatic Chronic 2, H411 1 1 ATE oral = 5.000,000 mg/kg	ND	81782-77-6	279-815-0	01-2119983 528-21
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate - FEMA 0	>= 0,1 < 1%	Skin Sens. 1B, H317	ND	4707-47-5	225-193-0	01-2120762 759-36
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) Note: B	< 0,1%	EUH071; Acute Tox. 3, H301; Acute Tox. 2, H310; Skin Corr. 1C, H314; Skin Sens. 1, H317; Eye Dam. 1, H318; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Limits: Skin Corr. 1C, H314 %C >=0,6; Skin Irrit. 2, H315 0,06<=%C <0,6; Eye Dam. 1, H318 %C >=0,6; Eye Irrit. 2, H319	613-167-00-5	55965-84-9	ND	ND

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
		0,06<= %C <0,6; Skin Sens. 1A, H317 %C >=0,0015; 100 100				

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

#### Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water and soap.

#### Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

#### Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

#### Advised extinguishing agents:

Water spray, CO<sub>2</sub>, foam, dry chemical, depending on the materials involved in the fire.

#### Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

### 5.2. Special hazards arising from the substance or mixture

No data available.

### 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction  
You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)  
Keep containers cool with water spray

## **SECTION 6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:  
Leave the area surrounding the spill or release. Do not smoke  
Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:  
Wear protective gloves and clothing.

Eliminate all open flames and possible sources of ignition.  
Not smoking.  
Provide adequate ventilation.

Evacuate the danger area and, if necessary, consult an expert.

### **6.2. Environmental precautions**

Contain spill with earth or sand.  
If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.  
Discharge the remains in compliance with the regulations

### **6.3. Methods and material for containment and cleaning up**

6.3.1 For containment:  
Rapidly recover the product, wear a mask and protective clothing  
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.  
Prevent it from entering the sewer system.

6.3.2 For cleaning up:  
After wiping up, wash with water the area and materials involved

6.3.3 Other information:  
None in particular.

### **6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

## **SECTION 7. Handling and storage**

### **7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors  
Wear protective gloves/protective clothing/eye protection/face protection.  
In residential areas do not use on large surfaces.  
At work do not eat or drink.  
Contaminated work clothing should not be allowed out of the workplace.  
See also paragraph 8 below.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabeled containers.  
Keep containers upright and safe by avoiding the possibility of falls or collisions.  
Store in a cool place, away from sources of heat and direct exposure of sunlight.

### **7.3. Specific end use(s)**

Private households (= general public = consumers):

Handle with care.

Store in ventilated place away from heat sources,

Keep the container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

## **SECTION 8. Exposure controls/personal protection**

### **8.1. Control parameters**

There are no data on occupational exposure limits

- Substance: 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone

DNEL

Systemic effects Long term Workers inhalation = 1,76 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 1,73 (mg/kg bw/day)

Systemic effects Short term Workers inhalation = 1,76 (mg/m<sup>3</sup>)

Systemic effects Short term Workers dermal = 1,73 (mg/kg bw/day)

PNEC

Sweet water = 0,0028 (mg/l)

sediment Sweet water = 3,73 (mg/kg/sediment)

Sea water = 0,00028 (mg/l)

sediment Sea water = 0,75 (mg/kg/sediment)

ground = 0,705 (mg/kg ground)

- Substance: Propan-2-ol

DNEL

Systemic effects Long term Workers inhalation = 500 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 888 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 89 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 26 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 26 (mg/kg bw/day)

PNEC

Sweet water = 140,9 (mg/l)

sediment Sweet water = 552 (mg/kg/sediment)

Sea water = 140,9 (mg/l)

sediment Sea water = 552 (mg/kg/sediment)

STP = 2251 (mg/l)

ground = 28 (mg/kg ground)

- Substance: Linalool

DNEL

Systemic effects Long term Workers inhalation = 2,8 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 2,5 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 0,7 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 1,25 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,2 (mg/kg bw/day)

- Substance: 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran  
DNEL

Systemic effects Long term Workers inhalation = 22 (mg/m<sup>3</sup>)  
Systemic effects Long term Workers dermal = 60 (mg/kg bw/day)  
Systemic effects Long term Consumers inhalation = 6,5 (mg/m<sup>3</sup>)  
Systemic effects Long term Consumers dermal = 36 (mg/kg bw/day)  
Systemic effects Long term Consumers oral = 3,8 (mg/kg bw/day)

PNEC

Sweet water = 0,0044 (mg/l)  
sediment Sweet water = 2 (mg/kg/sediment)  
Sea water = 0,00044 (mg/l)  
sediment Sea water = 0,394 (mg/kg/sediment)  
ground = 0,31 (mg/kg ground)

- Substance: 3-(4-Isobutyl-2-methylphenyl)propanal

PNEC

Sweet water = 0,0064 (mg/l)  
sediment Sweet water = 1,3 (mg/kg/sediment)  
Sea water = 0,00064 (mg/l)  
sediment Sea water = 0,13 (mg/kg/sediment)  
STP = 1 (mg/l)  
ground = 0,256 (mg/kg ground)

- Substance: ethanol

DNEL

Systemic effects Long term Workers inhalation = 950 (mg/m<sup>3</sup>)  
Systemic effects Long term Workers dermal = 343 (mg/kg bw/day)  
Systemic effects Long term Consumers inhalation = 114 (mg/m<sup>3</sup>)  
Systemic effects Long term Consumers dermal = 206 (mg/kg bw/day)  
Systemic effects Long term Consumers oral = 87 (mg/kg bw/day)

PNEC

Sweet water = 0,96 (mg/l)  
sediment Sweet water = 3,6 (mg/kg/sediment)  
Sea water = 0,79 (mg/l)  
sediment Sea water = 2,9 (mg/kg/sediment)  
STP = 580 (mg/l)  
ground = 0,63 (mg/kg ground)

- Substance: Citronellol

DNEL

Systemic effects Long term Workers inhalation = 161,6 (mg/m<sup>3</sup>)

## 8.2. Exposure controls



Appropriate engineering controls:  
Private households (= general public = consumers):  
No specific checks planned

Public domain (administration, education, entertainment, services, craftsmen):  
No specific monitoring foreseen

Individual protection measures:

## (a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

## (b) Skin protection

## (i) Hand protection

Handle with gloves. Gloves must be checked before use. Use a technique suitable for removing gloves (without touching the outer surface of the glove) to avoid the skin contact with this product. Dispose of contaminated gloves after use in accordance with current legislation and good laboratory practices. Wash and dry your hands. The selected protective gloves have to satisfy the requirements of EU directive 89/686 / EEC e the resulting EN 374 standards.

Full contact

Material: Nitrile rubber

minimum thickness: 0.11 mm

breakthrough time: 480 min

The choice of an appropriate glove depends not only on the material but also on other quality characteristics which vary from one manufacturer to another.

For the choice of the type of gloves to use consult the supplier / manufacturer of the gloves.

Observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

## (ii) Other

When handling the pure product wear full protective skin clothing.

## (c) Respiratory protection

Not needed for normal use.

## (d) Thermal hazards

No hazard to report

Environmental exposure controls:

Related to contained substances:

dipentene:

Do not let this chemical agent contaminate the environment.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	Liquid	
Colour	straw yellow	
Odour	Characteristic	
Odour threshold	not determined	
Melting point/freezing point	irrelevant	
Boiling point or initial boiling point and boiling range	not determined	
Flammability	nonflammable	
Lower and upper explosion limit	irrelevant	
Flash point	> 65 °C	ASTM D92
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	

Physical and chemical properties	Value	Determination method
pH	6-7	
Kinematic viscosity	not determined	
Solubility	Completely soluble in water	
Water solubility	Completely soluble in water	
Partition coefficient n-octanol/water (log value)	not determined	
Vapour pressure	not determined	
Density and/or relative density	0.99 - 1.05 gr/cm <sup>3</sup>	
Relative vapour density	irrelevant	
Particle characteristics	irrelevant	

## 9.2. Other information

Content of VOC ready to use condition: 4,78 %

### 9.2.1 Information with regard to physical hazard classes

Irrilevant

### 9.2.2 Other safety characteristics

Irrilevant

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

Nothing to report

### 10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.

It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11. Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 3.032,8 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = 909,1 mg/l/4 h

(a) acute toxicity: 2,6-dimethyloct-7-en-2-ol: LD50 Oral - rat - 3,600 mg/kg

LD50 Dermal - rabbit - > 5,000 mg/kg

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone: TOXIC DOSE 1-LD > 50 5000 mg/kg (oral rat)

TOXIC DOSE 2-LD > 50 5000 mg/kg (skn-rbt)

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: Acute Oral Toxicity

(1) Wistar rats (10/sex) were administered commercial grade HHCB (65% HHCB in either diethyl phthalate or isopropyl myristate) via gavage at 5000 mg/kg-bw and observed for 14 days. The corrected dose of HHCB was 3250 mg/kg-bw. One death occurred at this dose.

LD50 > 3250 mg/kg-bw

(2) Rats (10 females/dose; strain not specified) were administered commercial sample (65% HHCB in either diethyl phthalate or isopropyl myristate) via gavage at 3000 mg/kg-bw and observed for 14 days. It is not clear whether the reported dose reflected dose of the mixture or of HHCB. Therefore, a conservative estimate of the LD50 is considered to be 65% of the test concentration. No mortality was observed during the study.

LD50 > 1950 mg/kg-bw

dipentene: LD50 Oral-rat-4.400 mg/kg

Remarks: Behavioral: Change in motor activity (specific assay). Respiratory disorder Skin and Appendages:

Other: Hair. Inhalation: Irritating to respiratory system.

LD50 Dermal-rabbit->5.000 mg/kg

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: LD 50 ORAL (mg/kg) : >4000

ORGANISM : RAT

LD 50 DERMAL (mg/kg) : >5000

ORGANISM : RABBIT

ethanol: LD50 Oral-rat-7.060 mg/kg

Remarks: Lungs, Thorax, or Respiration: Other changes.

LC50 Inhalation-rat-10:0-20000 ppm

Citronellol: orl-rat LD50:3450 mg/kg

skn-rbt LD50:2650 mg/kg

ihl-rat LCLo:1.3 mg/m<sup>3</sup>/4H

(b) skincorrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

2,6-dimethyloct-7-en-2-ol: Skin - rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

Propan-2-ol: Skin-rabbit

Result: Mild skin irritation

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: TEST : ACUTE DERMAL IRRITATION

ORGANISM : RABBIT

ethanol: Skin-rabbit

Result: Irritating to skin. -12:0 am

Citronellol: skn-rbt 100 mg/24H SEV

Skin - Human - Skin irritation - 48 h

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

ethanol: Eyes-rabbit

Result: Mild eye irritation-12:0 am

(Draize Test)

2,6-dimethyloct-7-en-2-ol: Eyes - rabbit

Result: Moderate eye irritation

(Draize Test)

Propan-2-ol: Eyes-rabbit

Result: Eye irritation- 24 h

(d) respiratoryorskinsensitisation: The product, if brought into contact with skin can cause skin sensitization.

2,6-dimethyloct-7-en-2-ol: Maximisation Test

Did not cause sensitisation on laboratory anima

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: SENSITIZATION (ANIMAL): SENSITIZING

TEST : SKIN SENSITIZATION

ORGANISM : GUINEA PIG

SENSITIZATION (HUMAN) : NOT SENSITIZING

TEST : HRIPT

AT 10.00 (%) IN PETLM

Citronellol: mouse - May cause sensitization by skin contact.

Coumarin: Test: Inhalation Seseitization Route: Inhalation Species: Rat = 293 mg/kg

Test: Inhalation Seseitization Route: Inhalation Species: Mouse = 196 mg/kg

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: dipentene: Carcinogenicity-rat-Oral

Tumorigenic: Carcinogenic by RTECS criteria. Kidney, Ureter, Bladder: Kidney tumors. Tumorigenic Effects: Testicular tumors.

Carcinogenicity-mouse-Oral

Equivocal tumorigenic agent by RTECS criteria: Tumorigenic. Gastrointestinal: Tumors.

This product is or contains a component that is not classifiable as to its carcinogenicity IARC, ACGIH, NTP, based on its or EPA classification.

IARC: Group 3-3: Not classifiable as to its carcinogenicity to humans (D-Limonene)

(g) eproductivetoxicity: 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: Mated female Crl:CD(SD)Br rats (animals/sex/dose not specified) were administered HHCB via gavage at 0, 2, 6 or

20 mg/kg-bw/day beginning on gestation day 14. The F1 offspring were exposed in utero and throughout lactation.

At the end of the pre-weaning period, 24 male and 24 female pups per dose were retained for further study. On day 22 post-partum, excess pups and parents were sacrificed and examined for abnormalities. When offspring were 84 days of age, males and females were mated and produced litters. After day 21 post-partum, all F2 pups and F1 dams were sacrificed and examined internally and externally for abnormalities. No adverse effects on behavior or reproduction were observed at any dose in parental animals or in F1 or F2 pups.

NOAEL (systemic and reproductive toxicity) = 20 mg/kg-bw/day (based on no effects at the highest dose tested)

ethanol: Reproductive toxicity-Human-female-Oral

Effects on Newborn: Apgar score (human only). Effects on Newborn: Other measures or neonatal effects.

Effects on Newborn: Drug dependence.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated

exposure1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: Sprague-Dawley rats (15/sex/dose) were administered HHCB via the diet at 0, 5, 15, 50 or 150 mg/kg-bw/day for 13

weeks. Test concentrations were determined from a range finding study in which a LOAEL of 300 mg/kg-bw/day (based on hepatic effects) was determined. Mean estimated test substance intakes were 5.4, 15.7, 51.8 or 155.8 mg/kg-bw/day for males and 5.1, 15.6, 51.9 or 154.6 mg/kg-bw/day for females. There were no mortalities, adverse clinical signs or treatment-related effects on body weight, hematology or ophthalmologic evaluation. Slightly lower mean plasma triglyceride levels were observed at week13 in males at 50 and 150 mg/kg-bw/day. Slightly lower plasma glucose concentrations were noted at week 7 in males and females given 15, 50 and 150 mg/kg-bw/day and at week 13 in males given 50 and 150 mg/kg-bw/day; these effects were not seen at the end of the 4-week recovery period. There were no treatment-related differences in absolute organ weights or organ weight

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

Alcohols, C13-15, branched and linear, ethoxylated:

LD50 (rat) Oral (mg/kg body weight) > 300

2,6-dimethyloct-7-en-2-ol:

Skin - rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

Eyes - rabbit

Result: Moderate eye irritation

(Draize Test)

Oral LD50 (rat) : 3600 mg/kg

Dermal LD50 ( rabbit ) >5000 mg/kg

LD50 (rat) Oral (mg/kg body weight) = 3600

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

Propan-2-ol:

ROUTES of EXPOSURE: the substance can be absorbed into the body by inhalation of its fumes.

INHALATION RISK: A harmful contamination of the air will be reached quite slowly due to evaporation of the substance at 20 C; However, for spraying or scattering, much more quickly.

Effects of short-term exposure: the substance is irritating to the eyes and the respiratory tract the substance may cause effects on the central nervous system, causing depression. Much greater exposure to the OEL may lead to unconsciousness.

Effects of REPEATED EXPOSURE or long term: the liquid degreasing the skin features.

ACUTE HAZARDS/Symptoms INHALATION Cough. Vertigo. Drowsiness. Headaches. Sore throat. See If Swallowed. CUTE CUTE.

EYE Redness.

INGESTION abdominal pain. Difficulty in breathing. Nausea. State of unconsciousness. Vomiting. (Further see inhalation).

N O T and use of alcoholic beverages enhances the harmful effect.

LD50 (rat) Oral (mg/kg body weight) = 2100

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2100

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 29

Linalool:

LD50 (rat) Oral (mg/kg body weight) = 2790

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5610

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 307

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

LD50 (rat) Oral (mg/kg body weight) = 3250

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 3250

dipentene:

Routes of Entry: Absorbed through skin. Eye contact. Inhalation. Ingestion.

Toxicity to Animals:

Acute oral toxicity (LD50): 4400 mg/kg [Rat].

Acute dermal toxicity (LD50): >5000 mg/kg [Rabbit].

Chronic Effects on Humans: CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC.

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant, sensitizer), of inhalation (lung irritant).

Slightly hazardous in case of skin contact (permeator), of ingestion.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: May cause adverse reproductive effects and birth defects (teratogenic)

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects:

Skin: Causes skin irritation. It can be absorbed through intact skin. However, it is generally regarded to have low toxicity by dermal route.

Eyes: Causes eye irritation.

Inhalation: Aspiration of large doses may produce pulmonary edema and chemical pneumonitis. May cause dizziness and suffocation. No nasal or pharyngeal irritation has been reported.

Ingestion: It is generally regarded to have low toxicity by oral route. It may produce burning pain in the mouth and throat, abdominal pain, nausea, vomiting, and diarrhea. There may be an odor of terpenes in the vomitus or breath.

It may affect behavior/central nervous and peripheral nervous system. Central nervous system effects may include excitement, somnolence, delirium, ataxia, convulsions, and stupor while peripheral system effects may include spastic paralysis. It may affect respiration (respiratory depression, choking, coughing, dyspnea, cyanosis). Other symptoms may include cyanosis, fever, and tachycardia. Systemic absorption of large doses may produce pulmonary edema and chemical pneumonitis. The urine may smell like violets.

Chronic Potential Health Effects:

Ingestion: Prolonged or repeated ingestion may produce nausea, lowered blood sugar and cholesterol, and kidney damage (hematuria, albuminuria, tubular necrosis), and may also affect the liver.

Skin: It may be a weak sensitizer and responsible for some rare allergic responses (dermatitis)

LD50 (rat) Oral (mg/kg body weight) = 4400

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

3-(4-Isobutyl-2-methylphenyl)propanal:

LD50 (rat) Oral (mg/kg body weight) > 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 2000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 5

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 4000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

ethanol:

ROUTES of EXPOSURE: the substance can be absorbed into the body by inhalation of its fumes and ingestion.

INHALATION RISK: A harmful contamination of the air will be reached quite slowly due to evaporation of the substance at 20 C.

Effects of short-term exposure: the substance is irritating to the eyes. Inhalation of high vapour can cause irritation of the eyes and respiratory tract. The substance may cause effects on the central nervous system effects of REPEATED EXPOSURE or long term: the liquid degreasing the skin features. The substance may have an effect on the high central nervous system respiratory tract, causing irritation, headaches, fatigue and lack of concentration. See Notes.

ACUTE HAZARDS/Symptoms INHALATION Cough. Headaches. Fatigue. Drowsiness.

CUTE CUTE.

EYE Redness. Pain. Burning.

SWALLOWED burning sensation. Headaches. Confusion. Vertigo. State of unconsciousness.

NOT and consumption of ethanol during pregnancy can have adverse effects on the unborn child. Chronic ethanol ingestion can cause cirrhosis of the liver.

LD50 (rat) Oral (mg/kg body weight) = 7060

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 20000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 20000

Citronellol:

LD50 (rat) Oral (mg/kg body weight) = 3450

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2650

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 1,3

Coumarin:

Acute oral LD50 for rats: 293mg/kg

Acute oral LD50 for mice: 196mg/kg

Irritant data: Not determined

Inhalation data: Not determined

Mutagenicity data: Not determined  
LD50 (rat) Oral (mg/kg body weight) = 293  
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 242

Eucalyptus globulus oil:  
LD50 (rat) Oral (mg/kg body weight) = 5000

4-Methyl-3-decen-5-ol:  
LD50 (rat) Oral (mg/kg body weight) = 5000

## 11.2. Information on other hazards

No data available.

### 11.2.1. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

## SECTION 12. Ecological information

### 12.1. Toxicity

Related to contained substances:

Alcohols, C13-15, branched and linear, ethoxylated:  
C(E)L50 (mg/l) = 1

2,6-dimethyloct-7-en-2-ol:  
96 Hour LC50 = 4.81 mg/l EPA ECOSAR  
Daphnia magna 48 hrs LC50 = 5.70 mg  
Green algae 96 hr NOEC, LOEC or NOEL, LOEL EC50 = 3.88 mg/l  
C(E)L50 (mg/l) = 4,81 1  
1

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:  
Endpoint: LC50 species: Iepomismacrochirus (fish-salt Bluegrill) = 1.30 mg/l-h Duration: 96-Note:: method: OECD 203 TG  
Endpoint: EC50-species: Daphnia magna (Water flea) = 1.38 mg/l-h Duration: 48-comments:: semi-static test method: OECD TG 202  
Endpoint: EC50 Desmodesmus subspicatus-species (green algae) = 2.60 mg/l-h Duration: 72-Note:: static test method: OECD TG201  
C(E)L50 (mg/l) = 1,3 1  
1

Propan-2-ol:  
Toxicity to fish LC50-Pimephales promelas (fathead minnow)-9, 640.00 mg/l-96 h  
Toxicity to daphnia and other aquatic invertebrates  
-EC50 Daphnia magna (Water flea)-5, 102.00 mg/l- 24 h  
EC50 Immobilization-Daphnia magna (Water flea)-6.851 mg/l- 24h  
C(E)L50 (mg/l) = 5102 1  
1

Linalool:  
Fish: 96h LC50:39 mg/L (Oryzias latipes)  
Crustacea: 48h EC50:52 mg/L (Daphnia magna)

Algae: 72h EC50:28 mg/L (Selenastrum capricornutum)  
C(E)L50 (mg/l) = 27,799999 1  
1

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:  
21 days Daphnia magna NOEC 111 g/L NOEC 21 days Bluegill sunfish (Lepomis macrochirus) 68 g/L NOEC 35-day early life stage test Fathead minnows (Pimephales promelas) 68 g/L NOEC 72 h Algae (Pseudokirchneriella subcapitata) 201 g/L 8 weeks NOEC Earthworm (Eisenia fetida) 45 g/kg Soil DM 4 weeks Springtails NOEC (Folsomia candida) 45 g/kg Soil DM  
C(E)L50 (mg/l) = 0,282

dipentene:

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

C(E)L50 (mg/l) = 0,702 1

3-(4-Isobutyl-2-methylphenyl)propanal:

C(E)L50 (mg/l) = 0,62

ethanol:

C(E)L50 (mg/l) = 11200

Citronellol:

LC50 (96 h) 14,66 mg/l, Leuciscus idus

EC50 (48 h) 17 mg/l, Daphnia magna

EC50 (72 h) 2,4 mg/l, Scenedesmus subspicatus

C(E)L50 (mg/l) = 2,4 1

1

Coumarin:

Toxicity to fish LC50 - Poecilia reticulata (guppy) - 56 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates LC50 - Daphnia magna (Water flea) - 3.5 mg/l - 48 h

C(E)L50 (mg/l) = 13,5 1

1

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute toxicity to fish

The material is very toxic to aquatic organisms (LC50 / EC50 / IC50 below 1 mg / l for the most sensitive species).

LC50, Oncorhynchus mykiss (rainbow trout), flow-through test, 96 Hour, 0.19 mg / l, OECD Test Guideline 203 or equivalent

Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), Flow-through test, 48 h, 0.16 mg / l, OECD Test Guideline 202 or equivalent

Acute toxicity to algae / aquatic plants

EC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, 0.027 mg / l, OECD Test Guideline 201 or equivalent

NOEC, Skeletonema costatum, Static test, 72 h, Growth rate, 0.0014 mg / l

Chronic toxicity to fish

NOEC, Rainbow trout (Oncorhynchus mykiss), flow, 14 d, 0.05 mg / l

Chronic toxicity to aquatic invertebrates

NOEC, Daphnia magna, Flow-through test, 21 d, 0.1 mg / l

100  
NOEC (mg/l) = 0,05 100

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

### **12.2. Persistence and degradability**

Related to contained substances:

2,6-dimethyloct-7-en-2-ol:  
72% within 28 days in an OECD 301B assay

Linalool:  
90 % (by BOD), 99 % (by TOC), 100 % (by GC)

4-Methyl-3-decen-5-ol:  
Biodegradability: Result: Readily biodegradable.  
73%

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1):

Biodegradation (aquatic metabolism): 5-chloro-2-methyl-4-isothiazolin-3-one (CMIT):  
 $t_{1/2}$  anaerobic = 0.2 days.  $t_{1/2}$  aerobic = 0.38 - 1.3 days. 2-methyl-4-isothiazolin-3-one (MIT): aerobic  $t_{1/2}$  = 0.38 - 1.4 days

Biodegradability: Considered to be rapidly degradable. The product is not readily biodegradable according to OECD / EC criteria.

Biodegradation: <50%

Exposure time: 10 d

Photodegradation

Atmospheric half-life: 0.38 - 1.3 d

12.3 Bioaccumulative potential

Partition coefficient: n-octanol / water (log Pow): 0.401 Method not specified.

### **12.3. Bioaccumulative potential**

Related to contained substances:

Linalool:  
106

Coumarin:  
Bioaccumulation *Leuciscus idus melanotus* - 3 d -46 µg/l  
Bioconcentration factor (BCF): < 10

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1):

Low potential for bioconcentration (FBC or Log Pow < 100 < 3).

### **12.4. Mobility in soil**

Related to contained substances:

Linalool:  
log Pow: 2.55  
Soil adsorption (Koc): 75

Henry's Law constant(PaM3/mol): 2

### 12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

### 12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

### 12.7. Other adverse effects

No adverse effects

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

## SECTION 14. Transport information

### 14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 0000

ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 kg

### 14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (Nitrato rameico, 1',2',3',4',5',6',7',8'-ottaidro-2',3',8',8'-tetrametil-2'-acetonaftone, 1,3,4,6,7,8-esaidro-4,6,6,7,8,8-esametillinden[5,6-c]pirano, dipentene, Coumarin, Eucalyptus oil span. rect, 70%, organic, pin-2(10)-ene, 2-(2,2,7,7-Tetramethyltricyclo[6.2.1.0((1,6)]Undec-5 and 4-en-5-yl)propan-1-ol, Propan-2-olo, etanolo)

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper nitrate, 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, dipentene, Coumarin, Eucalyptus globulus oil, pin-2(10)-ene, 2-(2,2,7,7-Tetramethyltricyclo[6.2.1.0((1,6)]Undec-5 and 4-en-5-yl)propan-1-ol, Propan-2-ol, ethanol)

ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper nitrate, 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, dipentene, Coumarin, Eucalyptus globulus oil, pin-2(10)-ene, 2-(2,2,7,7-Tetramethyltricyclo[6.2.1.0((1,6)]Undec-5 and 4-en-5-yl)propan-1-ol, Propan-2-ol, ethanol)

### 14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9

ADR/RID/IMDG/ICAO-IATA: Label :

ADR: Tunnel restriction code : --

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L

IMDG - EmS : F-A, S-F

#### **14.4. Packing group**

ADR/RID/IMDG/ICAO-IATA: III

#### **14.5. Environmental hazards**

ADR/RID/ICAO-IATA: Product is environmentally hazardous

IMDG: Marine polluting agent : Yes

#### **14.6. Special precautions for user**

No data available.

#### **14.7. Maritime transport in bulk according to IMO instruments**

It is not intended to carry bulk

### **SECTION 15. Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso category:

E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:

HP4 - Irritant — skin irritation and eye damage

HP14 - Ecotoxic

Substances in the Candidate List (REACH Article 59)

Based on available data, no SVHC substances are present

#### **15.2. Chemical safety assessment**

No chemical safety assessment was carried out by the supplier

### **SECTION 16. Other information**

#### **16.1. Other information**

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.

H318 = Causes serious eye damage.

H412 = Harmful to aquatic life with long lasting effects.

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

H336 = May cause drowsiness or dizziness.

H317 = May cause an allergic skin reaction.

H410 = Very toxic to aquatic life with long lasting effects.

H225 = Highly flammable liquid and vapour.

H400 = Very toxic to aquatic life.

H226 = Flammable liquid and vapour.

H304 = May be fatal if swallowed and enters airways.

H332 = Harmful if inhaled.

H411 = Toxic to aquatic life with long lasting effects.

H335 = May cause respiratory irritation.

H373 = May cause damage to organs through prolonged or repeated exposure .

H301 = Toxic if swallowed.  
H310 = Fatal in contact with skin.  
H314 = Causes severe skin burns and eye damage.  
H330 = Fatal if inhaled.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H315 - Causes skin irritation. Classification procedure: Calculation method  
H317 - May cause an allergic skin reaction. Classification procedure: Calculation method  
H319 - Causes serious eye irritation. Classification procedure: Calculation method  
H411 - Toxic to aquatic life with long lasting effects. Classification procedure: Calculation method

Main normative references:

Directive 1999/45/EC  
Directive 2001/60/EC  
Regulation 1272/2008/EC  
Regulation 2010/453/EC

\*\* The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.

---