

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : Hygienfresh Essenza Caresse blanche
Trades code : A48-023
Product line: Hygienfresh

1.2. Relevant identified uses of the substance or mixture and uses advised against

Perfumed essence

Sectors of use:

Industrial Manufacturing[SU3], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: info@tintolav.com - Sito internet: www.tintolav.com

Email tecnico competente: a.conedera@tintolav.com

National contact: Malta: Emergency Ambulance 112
Accident & Emergency Department 2545 4030

1.4. Emergency telephone number

The UK National Poisons Emergency number +44 (0)870 600 6266
London: Emergency 24 hour telephone +44 (0) 207188 0100

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05, GHS07, GHS09

Hazard Class and Category Code(s):

Acute Tox. 4, Skin Sens. 1, Eye Dam. 1, Aquatic Chronic 2

Hazard statement Code(s):

H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

Harmful product: do not ingest

The product, if brought into contact with skin can cause skin sensitization.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS05, GHS07, GHS09 - Danger



Hazard statement Code(s):
H302 - Harmful if swallowed.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):
not applicable

Precautionary statements:

Prevention

- P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

- P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.
- P302+P352 - IF ON SKIN: Wash with plenty of water and soap
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 - Immediately call a POISON CENTER/doctor/physician
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Disposal

- P501 - Dispose of contents / container in accordance with local and national regulations.

Contains:

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated, α -Hexylcinnamaldehyde, Coumarin, 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, 3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one, 2-cyclohexylidene-2-phenylacetone, Ethoxymethoxy cyclododecane, 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 2,4-dimethylcyclohex-3-ene-1-carbaldehyde, Eugenol, dipentene, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, (E)-1-methoxy-4-(1-propenyl)benzene, 2-Methylundecanal, Linalool, Benzyl benzoate
28,00% of the mixture consists of components whose toxicity is unknown.
The mixture contains 28,00% of the components of which is unknown toxicity to the aquatic environment.

Contains (Reg.EC 648/2004):

> 30% perfumes, 15% < 30% non-ionic surfactants, < 5% Cinnamyl alcohol, Citronellol, Geraniol, Benzyl salicylate, Benzyl benzoate, Limonene, Linalool, 0028-67-4 Treemoss extract (Evernia Furfuraceae), Coumarin, Eugenol, Isoeugenol, hydroxy-methylpentylcyclohexenecarboxaldehyde, 15% < 30% perfumes, non-ionic surfactants, < 5% α -Hexylcinnamaldehyde, Coumarin, ALPHA ISOMETHYLE IONONE, Eugenol, D-Limonene ((S)-p-menta-1,8-diene), Linalool, Benzyl benzoate

For professional use only

2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated - FEMA 0	> 20 <= 30%	Acute Tox. 4, H302; Eye Dam. 1, H318		24938-91-8		
α-Hexylcinnamaldehyde	> 1 <= 5%	Skin Sens. 1, H317; Aquatic Chronic 2, H411		101-86-0	202-983-3	
2,6-dimethyloct-7-en-2-ol - FEMA 0	> 1 <= 5%	Skin Irrit. 2, H315		18479-58-8	242-362-4	
3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-inden-6-yl propionate - FEMA 0	> 1 <= 5%	Eye Irrit. 2, H319; Aquatic Chronic 2, H411		17511-60-3	241-514-7	
Coumarin	> 1 <= 5%	Acute Tox. 4, H302; Skin Sens. 1, H317; STOT RE 2, H373		91-64-5	202-086-7	01-2119943 756-26-000 0
2-phenylethanol - FEMA 2858	> 1 <= 5%	Eye Irrit. 2, H319		60-12-8	200-456-2	
2-tert-Butylcyclohexyl acetate - FEMA 0	> 1 <= 5%	Aquatic Chronic 2, H411		88-41-5	201-828-7	
3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one - FEMA 2714	> 1 <= 5%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 2, H411		127-51-5	204-846-3	
benzyl acetate - FEMA 2135	> 1 <= 5%	Aquatic Chronic 3, H412		140-11-4	205-399-7	
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone - FEMA 0	> 0,1 <= 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411		54464-57-2	259-174-3	
dipentene Note: C	> 0,1 <= 1%	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	601-029-00-7	5989-27-5	205-341-0	01-2119529 223-47-000 1
Ethoxymethoxy cyclododecane - FEMA 0	> 0,1 <= 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411		58567-11-6	261-332-1	
1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	> 0,1 <= 1%	Skin Corr. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411		68155-67-9	268-979-9	
1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	> 0,1 <= 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 1, H410		68155-66-8	268-978-3	01-2119489 989-04-000 0
diphenyl ether - FEMA 3667	> 0,1 <= 1%	Aquatic Acute 1, H400; Aquatic		101-84-8	202-981-2	

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
		Chronic 1, H410				
2,4-dimethylcyclohex-3-ene-1-carbaldehyde - FEMA 0	> 0,1 <= 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 3, H412		68039-49-6	268-264-1	
4-Methyl-3-decen-5-ol - FEMA 0	> 0,1 <= 1%	Aquatic Acute 1, H400		81782-77-6	279-815-0	
2,6-di-tert-butyl-p-cresol - FEMA 2184	> 0,1 <= 1%	Aquatic Acute 1, H400; Aquatic Chronic 1, H410		128-37-0	204-881-4	01-2119565 113-46
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one - FEMA 3622	> 0,1 <= 1%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410		57378-68-4	260-709-8	
alpha-Cedrene - FEMA 0	<= 0,1%	Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 10		469-61-4	207-418-4	

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated room.
CALL A PHYSICIAN.

If breathing has stopped, give artificial respiration.

Direct contact with skin (of the pure product):

In case of contact with skin, wash immediately with water and soap.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

The product is harmful and can cause irreversible damages even following a single exposure if swallowed.
Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Wear mask, gloves and protective clothing. Suitable: LaTeX, nitrile, PVC

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors
Wear protective gloves/protective clothing/eye protection/face protection.
In residential areas do not use on large surfaces.
At work do not eat or drink.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and `direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:
Handle with extreme caution.
Store in a well ventilated place away from heat sources.

Public domain (administration, education, entertainment, services, craftsmen):
Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:
dipentene:
TWA: 30 from AIHA
TWA: 165.5 (mg/m³) from AIHA

8.2. Exposure controls



Appropriate engineering controls:
Industrial Manufacturing:
No specific monitoring foreseen

Public domain (administration, education, entertainment, services, craftsmen):
No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

Manipulate with gloves. The gloves should be checked before being used. Use a technique suitable for the removal of gloves (without touching the outside of the glove) to avoid skin contact with this product dispose of contaminated gloves after use in accordance with the legislation and good laboratory practices. Wash and dry your hands.

Selected protective gloves shall comply with the requirements of EU Directive 89/686/EEC and EN 374 standards arising therefrom.

Full contact

Material: nitrile rubber

minimum thickness: 0.11 mm

permeation time: 480 min

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Related to contained substances:

dipentene:

Do not let this chemical agent contaminate the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	ochre liquid	
Odour	characteristic	
Odour threshold	not determined	
pH	not determined	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	> 100 °C	
Flash point	> 60 °C	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	nonflammable	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	0,980 - 1,020 g /cm ³	
Solubility	soluble in water and in organic solvents	
Water solubility	soluble	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

9.2. Other information

Content of VOC ready to use condition: 23,10 %

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can ignite in contact with oxidants mineral acids.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = 1.119,1 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: Harmful product: do not ingest

α-Hexylcinnamaldehyde: Oral (rat) LD50: 2450 mg/kg

2,6-dimethyloct-7-en-2-ol: LD50 Oral - rat - 3,600 mg/kg

LD50 Dermal - rabbit - > 5,000 mg/kg

2-tert-Butylcyclohexyl acetate: Dermal, rodent-rabbit: Ld50 = > 5000 mg/kg

Oral, rat: LD = 3000 mg/kg

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone: TOXIC DOSE 1-LD > 50 5000 mg/kg (oral rat)

TOXIC DOSE 2-LD > 50 5000 mg/kg (skn-rbt)

dipentene: LD50 Oral-rat-4.400 mg/kg

Remarks: Behavioral: Change in motor activity (specific assay). Respiratory disorder Skin and Appendages:

Other: Hair. Inhalation: Irritating to respiratory system.

LD50 Dermal-rabbit->5.000 mg/kg

diphenyl ether: LD50 = 2450 mg/kg bw rat

LD50 > 7940 mg/kg bw rabbit

LC50 = 2.66 mg/L

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: LD 50 ORAL (mg/kg) : >4000

ORGANISM : RAT

LD 50 DERMAL (mg/kg) : >5000

ORGANISM : RABBIT

2,6-di-tert-butyl-p-cresol: LD50 oral: 1700 mg/kg (rat)

LD50 oral: 800 - 1600 mg/kg (mouse)

LD50 dermal: >8000 mg/kg (guinea pig)

(b) skin corrosion/irritation 2,6-dimethyloct-7-en-2-ol: Skin - rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

benzyl acetate: Skin-rabbit-skin irritant-24 h

diphenyl ether: Severely irritating (24-h exposure) Slightly irritating (4-h exposure)

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: TEST : ACUTE DERMAL IRRITATION

ORGANISM : RABBIT

alpha-Cedrene: Skin - rabbit

Result: Skin irritation

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

2,6-dimethyloct-7-en-2-ol: Eyes - rabbit

Result: Moderate eye irritation

(Draize Test)

2-tert-Butylcyclohexyl acetate: Draize test, rabbit and rodent skin: 500 mg/12:0 am Moderate

diphenyl ether: Slightly irritating

(d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.

2,6-dimethyloct-7-en-2-ol: Maximisation Test

Did not cause sensitisation on laboratory anima

Coumarin: Test: Inhalation Sesityation Route: Inhalation Species: Rat = 293 mg/kg

Test: Inhalation Sesityation Route: Inhalation Species: Mouse = 196 mg/kg

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: SENSITIZATION (ANIMAL): SENSITIZING

TEST : SKIN SENSITIZATION

ORGANISM : GUINEA PIG

SENSITIZATION (HUMAN) : NOT SENSITIZING

TEST : HRIPT

AT 10.00 (%) IN PETLM

(e) germ cell mutagenicity: benzyl acetate: Laboratory tests revealed mutagenic effects.

Genotoxicity in vitro lymphocyte-topo-

mutation in mammalian somatic cells

In vitro genotoxicity-Hamster-Lungs

Cytogenetic analysis

(f) carcinogenicity: benzyl acetate: Cancerogenicit-rat-Oral

Oncogenia: second neoplastic RTECS gastrointestinal tumors

Cancerogenicit-rat-Oral

Oncogenia: Liver cancer second neoplastic RTECS:

This product or contains a component that cannot be classified according to its effect

carcinogen IARC classification, ACGIH, NTP or EPA.

IARC: Group 3-3: Not classifiable as to its carcinogenicity to humans (Benzyl acetate)

dipentene: Carcinogenicity-rat-Oral

Tumorigenic: Carcinogenic by RTECS criteria. Kidney, Ureter, Bladder: Kidney tumors. Tumorigenic Effects: Testicular tumors.

Carcinogenicity-mouse-Oral

Equivocal tumorigenic agent by RTECS criteria: Tumorigenic. Gastrointestinal: Tumors.

This product is or contains a component that is not classifiable as to its carcinogenicity IARC, ACGIH, NTP, based on its or EPA classification.

IARC: Group 3-3: Not classifiable as to its carcinogenicity to humans (D-Limonene)

(g) reproductive toxicity: diphenyl ether: In the repeated-dose dietary toxicity study described previously, reproductive organs of both genders were weighed and examined macroscopically and histopathologically. No adverse effects related to treatment were observed.

Pregnant female Sprague-Dawley rats (24/dose) were administered a mixture of diphenyl oxide (73.5 percent) and biphenyl (26.5 percent) by gavage at 0, 50, 200 or 500 mg/kg-day in corn oil on gestational days 6 through 15. Dams were observed for mortality, weight gain, food consumption and clinical signs of toxicity. Fetal resorptions, viability post implantation loss, total implantations and mean litter weight were determined. One-half of fetuses were processed for soft-tissue evaluations and the other half for skeletal evaluations. Two dams at 500 mg/kg/day died. Reduced maternal body weight gain and food consumption were seen at 200 and 500 mg/kg-day. No treatment-related effects on developmental outcomes was observed.

LOAEL (maternal toxicity) = 200 mg/kg-from

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure diphenyl ether: NOAEL (male) = 301 mg/kg-bw/day (the highest dose tested)

NOAEL (female) = 334.8 mg/kg-bw/day (the highest dose tested)

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

α -Hexylcinnamaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 2450

2,6-dimethyloct-7-en-2-ol:

Skin - rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

Eyes - rabbit

Result: Moderate eye irritation

(Draize Test)

Oral LD50 (rat) : 3600 mg/kg

Dermal LD50 (rabbit) >5000 mg/kg

LD50 (rat) Oral (mg/kg body weight) = 3600

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-inden-6-yl propionate:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

Coumarin:

Acute oral LD50 for rats: 293mg/kg

Acute oral LD50 for mice: 196mg/kg

Irritant data: Not determined

Inhalation data: Not determined

Mutagenicity data: Not determined

LD50 (rat) Oral (mg/kg body weight) = 293

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 242

2-phenylethanol:

LD50 (rat) Oral (mg/kg body weight) = 1790

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 806

2-tert-Butylcyclohexyl acetate:

LD50 (rat) Oral (mg/kg body weight) = 3000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

benzyl acetate:

Oral LD50-rat-2,490 mg/kg

Observations: behavior: somnolence (General depressed activity)

LD50 Dermal-rabbit-> 5,000 mg/kg

Acute toxicity of the vapor (LC50): 245 8 hours

LD50 (rat) Oral (mg/kg body weight) = 2490

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 245

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

dipentene:

Routes of Entry: Absorbed through skin. Eye contact. Inhalation. Ingestion.

Toxicity to Animals:

Acute oral toxicity (LD50): 4400 mg/kg [Rat].

Acute dermal toxicity (LD50): >5000 mg/kg [Rabbit].

Chronic Effects on Humans: CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC.

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant, sensitizer), of inhalation (lung irritant).

Slightly hazardous in case of skin contact (permeator), of ingestion.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: May cause adverse reproductive effects and birth defects (teratogenic)

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects:

Skin: Causes skin irritation. It can be absorbed through intact skin. However, it is generally regarded to have low toxicity by dermal route.

Eyes: Causes eye irritation.

Inhalation: Aspiration of large doses may produce pulmonary edema and chemical pneumonitis. May cause dizziness and suffocation. No nasal or pharyngeal irritation has been reported.

Ingestion: It is generally regarded to have low toxicity by oral route. It may produce burning pain in the mouth and throat, abdominal pain, nausea, vomiting, and diarrhea. There may an odor of terpenes in the vomitus or breath.

It may affect behavior/central nervous and peripheral nervous system. Central nervous system effects may include excitement, somnolence, delirium, ataxia, convulsions, and stupor while peripheral system effects may include spastic paralysis. It may affect respiration (respiratory depression, choking, coughing, dyspnea, cyanosis). Other symptoms may include cyanosis, fever, and tachycardia. Systemic absorption of large doses may produce pulmonary edema and chemical pneumonitis. The urine may smell like violets.

Chronic Potential Health Effects:

Ingestion: Prolonged or repeated ingestion may produce nausea, lowered blood sugar and cholesterol, and kidney damage (hematuria, albuminuria, tubular necrosis), and may also affect the liver.

Skin: It may be a weak sensitizer and responsible for some rare allergic responses (dermatitis)

LD50 (rat) Oral (mg/kg body weight) = 4400

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

Ethoxymethoxy cyclododecane:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Acute oral toxicity

LD50 rat

Dose: > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: IFF

Acute dermal toxicity

LD50 rat

Dose: > 5,000 mg/kg

Method: OECD Test Guideline 402

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

diphenyl ether:

LD50 (rat) Oral (mg/kg body weight) = 2450

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 7940

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 2,66

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 4000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

4-Methyl-3-decen-5-ol:

LD50 (rat) Oral (mg/kg body weight) = 5000

2,6-di-tert-butyl-p-cresol:

LD50 (rat) Oral (mg/kg body weight) = 1700

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 8000

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated:

Acute toxicity to fish

LC50 - 96 h : 7.5 mg/l - *Lepomis macrochirus* (Bluegill sunfish)

Harmful to fish.

LC50 - 96 h : 12 mg/l - *Danio rerio* (zebra fish)

Method: OECD Test Guideline 203

Harmful to fish.

Acute toxicity to daphnia and other aquatic invertebrates.

Tridecyl alcohol ethoxylated : LC50 - 48 h : 4.7 mg/l - *Daphnia magna* (Water flea)

Method: OECD Test Guideline 202

Toxic to aquatic invertebrates.

Toxicity to aquatic plants

Tridecyl alcohol ethoxylated : ErC50 - 72 h : 17 mg/l - *Scenedesmus subspicatus*

Harmful to algae.

C(E)L50 (mg/l) = 4,7

α -Hexylcinnamaldehyde:

Freshwater Fish Toxicity: acute LC50 >1-10 mg/L

Freshwater Invertebrates Toxicity: acute EC <1 mg/L

Algal Toxicity: acute EC <1 mg/L.

C(E)L50 (mg/l) = 0,99

2,6-dimethyloct-7-en-2-ol:

96 Hour LC50 = 4.81 mg/l EPA ECOSAR

Daphnia magna 48 hrs LC50 = 5.70 mg

Green algae 96 hr NOEC, LOEC or NOEL, LOEL EC50 = 3.88 mg/l
C(E)L50 (mg/l) = 4,81

Coumarin:

Toxicity to fish LC50 - *Poecilia reticulata* (guppy) - 56 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates LC50 - *Daphnia magna* (Water flea) - 3.5 mg/l - 48 h

C(E)L50 (mg/l) = 13,5

2-tert-Butylcyclohexyl acetate:

Toxicity to daphnia (EC50 mg/l) as predicted by v. Topkat 6.1 9.8 mg/l

C(E)L50 (mg/l) = 9,8

3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one:

Rainbow Trout (average length, 5.8 cm), acclimatized for 12 days, were exposed to a series of 5 test concentrations of 0, 7.8, 10.9, 15.3, 21.4, or 30 mg/L dispersed in Polysorbate 80 (10 mg/L) for 96 hours at 17.1 °C. Control fish were exposed to Polysorbate 80 (10 mg/L). Fish were observed twice daily for mortality and symptoms. pH values and water temperature were monitored after substance addition at 24 hour intervals. Dissolved oxygen was measured at the beginning of the experiment and at 96 hours.

LC50 = 10.9 mg/L

Daphnia magna 48h - LC50 = 0.597 mg/L

72 hr EC50=7.47 mg/L based on average specific growth rate;

C(E)L50 (mg/l) = 0,597

benzyl acetate:

Toxicity to fish Lc50-*Oryzias latipes*-4 mg/l-96 h

C(E)L50 (mg/l) = 4

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

Endpoint: LC50 species: *lepomis macrochirus* (fish-salt Bluegrill) = 1.30 mg/l-h Duration: 96-Note:: method: OECD 203 TG

Endpoint: EC50-species: *Daphnia magna* (Water flea) = 1.38 mg/l-h Duration: 48-comments:: semi-static test method: OECD TG 202

Endpoint: EC50 *Desmodesmus subspicatus*-species (green algae) = 2.60 mg/l-h Duration: 72-

Note:: static test method: OECD TG201

C(E)L50 (mg/l) = 1,3

dipentene:

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

C(E)L50 (mg/l) = 0,702

Ethoxymethoxy cyclododecane:

C(E)L50 (mg/l) = 1,6

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Toxicity to fish:

semi-static test LC50

Species: *Lepomis macrochirus* (Bluegill sunfish)

Dose: 1.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates.:
semi-static test EC50
Species: Daphnia magna (Water flea)
Dose: 1.38 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
IFF

C(E)L50 (mg/l) = 1,3
NOEC (mg/l) = 100

diphenyl ether:
Fish 96-h LC50 (mg/L) 4.2
Aquatic Invertebrates 48-h EC50 (mg/L) 1.7
Aquatic Plants 72-h EC50 (mg/L) 2.5
C(E)L50 (mg/l) = 1,7

2,6-di-tert-butyl-p-cresol:
Toxicity to fish LC50 - *Oryzias latipes* - 5.3 mg/l - 48 h
Toxicity to daphnia and other aquatic invertebrates EC50 - *Daphnia pulex* (Water flea) - 1.44 mg/l - 48 h
C(E)L50 (mg/l) = 1,44

alpha-Cedrene:
EC50 *Daphnia pulex*-(Water flea)-0.044 mg/l-48 h
C(E)L50 (mg/l) = 0,044 10
10

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated:
The substance fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability

2,6-dimethyloct-7-en-2-ol:
72% within 28 days in an OECD 301B assay

Coumarin:
100% (by BOD), 100% (by TOC), 99.6% (by GC)

diphenyl ether:
51–94% after 7 days (inherently biodegradable);
76% after 20 days (readily biodegradable)
6.3% after 28 days OECD TG 301C (not readily biodegradable)
20% after 75 days (resistant to biological action)

4-Methyl-3-decen-5-ol:
Biodegradability: Result: Readily biodegradable.
73%

12.3. Bioaccumulative potential

Related to contained substances:
Coumarin:
6.7

diphenyl ether:
BCF = 196 (measured in trout);
BCF = 112–583 (measured in carp);
BCF = 49–594 (measured in carp)

12.4. Mobility in soil

Related to contained substances:
Coumarin:
log Pow: 1.39
Soil adsorption (Koc): No data available
Henry's Law constant(PaM³/mol): 0.7

12.5. Results of PBT and vPvB assessment

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number

ADR/RID/IMDG/ICAO-IATA: 3082

ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg



14.2. UN proper shipping name

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-inden-6-yl propionate, 2-tert-Butylcyclohexyl acetate, benzyl acetate,

α -Hexylcinnamaldehyde, Coumarin, 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, 3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one, Dodecanal, 2-cyclohexylidene-2-phenylacetonitrile, 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, diphenyl ether, dipentene,) ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-inden-6-yl propionate, 2-tert-Butylcyclohexyl acetate, benzyl acetate, α -Hexylcinnamaldehyde, Coumarin, 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, 3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one, Dodecanal, 2-cyclohexylidene-2-phenylacetonitrile, 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, diphenyl ether, dipentene,)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9
ADR/RID/IMDG/ICAO-IATA: Label : Limited quantities
ADR: Tunnel restriction code : --
ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L
IMDG - EmS : F-A, S-F

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous
IMDG: Marine polluting agent : Yes

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category:
E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:
HP4 - Irritant — skin irritation and eye damage
HP14 - Ecotoxic

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

SECTION 16. Other information

16.1. Other information

Description of the hazard statements exposed to point 3
H302 = Harmful if swallowed.

H318 = Causes serious eye damage.
H317 = May cause an allergic skin reaction.
H411 = Toxic to aquatic life with long lasting effects.
H315 = Causes skin irritation.
H319 = Causes serious eye irritation.
H373 = May cause damage to organs through prolonged or repeated exposure .
H412 = Harmful to aquatic life with long lasting effects.
H226 = Flammable liquid and vapour.
H400 = Very toxic to aquatic life.
H410 = Very toxic to aquatic life with long lasting effects.
H304 = May be fatal if swallowed and enters airways.

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

** The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.
