

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : Hypnosense Laundry Essense Purity
Trades code : AH80-015
Product line: Hypnosense

UFI: JWK1-00W8-Q004-0S5D

1.2. Relevant identified uses of the substance or mixture and uses advised against

Hyper-concentrated essence for washing machine laundry with heat resistant fragrance

Sectors of use:

Industrial Manufacturing[SU3], Private households (= general public = consumers)[SU21], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: info@tintolav.com - Sito internet: www.tintolav.com

Email tecnico competente: a.conedera@tintolav.com

National contact: Malta: Emergency Ambulance 112
Accident & Emergency Department 2545 4030

1.4. Emergency telephone number

The UK National Poisons Emergency number +44 (0)870 600 6266
London: Emergency 24 hour telephone +44 (0) 207188 0100

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07, GHS09

Hazard Class and Category Code(s):

Skin Irrit. 2, Skin Sens. 1A, Eye Irrit. 2, Aquatic Chronic 2

Hazard statement Code(s):

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema

The product, if brought into contact with skin can cause skin sensitization.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS07, GHS09 - Warning



Hazard statement Code(s):
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):
not applicable

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Prevention

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302+P352 - IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Disposal

P501 - Dispose of contents / container in accordance with local and national regulations.

Contains:

aqua, cyclohexyl salicylate, parfum, dihydrogenated tallow hydroxyethylmonium methosulfate, trideceth-12, ethoxydiglycol, ricinus communis oil, isopropyl alcohol, benzalkonium chloride, 4-tert-Butylcyclohexyl acetate, Alpha isomethyl ionone, tetramethyl acetyloctahydronaphthalenes, Geraniol, Citronellol, linalool, Coumarin, Eugenol, Limonene, Hexyl cinnamal, Isoeugenol, Citral, steareth-21, alcohol.

Contains (Reg.EC 648/2004):

>= 5% < 15% perfumes, < 5% cationic surfactants, non-ionic surfactants, 3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one, Geraniol, Citronellol, Linalool, Coumarin, Eugenol, Limonene, α -Hexylcinnamaldehyde, Isoeugenol

Content of VOC ready to use condition: 2,33 %

UFI: JWK1-00W8-Q004-0S5D

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
Cyclohexyl salicylate - FEMA 0	>= 1 < 5%	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 1 1 ATE oral = 2.000,0 mg/kg ATE dermal = 2.000,0 mg/kg	ND	25485-88-5	400-410-3	ND
Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	>= 1 < 5%	ATE oral = 5.000,0 mg/kg ATE dermal = 2.000,0 mg/kg	ND	157905-74-3	931-203-0	01-2119463 889-16-000 4
2,6-dimethyloct-7-en-2-ol - FEMA 0	>= 1 < 5%	Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE oral = 3.600,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	18479-58-8	242-362-4	01-2119457 274-37
4-tert-Butylcyclohexyl acetate - FEMA 0	>= 1 < 5%	Skin Sens. 1B, H317; Aquatic Chronic 2, H411 1 1 ATE oral = 5.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	32210-23-4	250-954-9	01-2119976 286-24
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated - FEMA 0	>= 1 < 3,00%	Acute Tox. 4, H302; Eye Dam. 1, H318	ND	24938-91-8	ND	ND
3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one - FEMA 2714	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 2, H411 ATE oral = 5.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	127-51-5	204-846-3	ND
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone - FEMA 0	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 1, H410 1 1 ATE oral = 5.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	54464-57-2	259-174-3	01-2119489 989-04
Geraniol - FEMA 2507	>= 0,1 < 1%	Skin Irrit. 2, H315;	603-241-00-5	106-24-1	203-377-1	01-211955

In conformity to Regulation (EU) 2020/878

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
		Skin Sens. 1, H317; Eye Dam. 1, H318 ATE oral = 3.500,0 mg/kg ATE dermal = 5.000,0 mg/kg ATE inhal = 0,5mg/l/4 h				2430-49-00 00
Citronellol	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319; STOT SE 3, H335 ATE oral = 3.450,0 mg/kg ATE dermal = 2.650,0 mg/kg ATE inhal = 1,3mg/l/4 h	ND	106-22-9	203-375-0	01-2119453 995-23-000 0
Linalool	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 2.790,0 mg/kg ATE dermal = 5.610,0 mg/kg ATE inhal = 307,0mg/l/4 h	603-235-00-2	78-70-6	201-134-4	01-2119474 016-42-000 0
2-Methylundecanal - FEMA 2749	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 1 1 ATE oral = 5.000,0 mg/kg ATE dermal = 10.000,0 mg/kg	ND	110-41-8	203-765-0	01-2119969 443-29-000 0
Eucalyptus globulus oil - FEMA 2466	>= 0,1 < 1%	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Sens. 1, H317; Aquatic Chronic 2, H411 1 1	ND	8000-48-4	283-406-2	ND
[3R-(3α,3αβ,7β,8αα)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one - FEMA 0	>= 0,1 < 1%	Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 1 1 ATE oral = 5.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	32388-55-9	251-020-30	01-2119969 651-28-xxxx
4-Methyl-3-decen-5-ol - FEMA 0	>= 0,1 < 1%	Aquatic Acute 1, H400; Aquatic Chronic 2, H411 1 1 ATE oral = 5.000,0 mg/kg	ND	81782-77-6	279-815-0	01-2119983 528-21
2,4-dimethylcyclohex-3-ene-1-ca	>= 0,1 < 1%	Skin Irrit. 2, H315;	ND	68039-49-6	268-264-1	ND

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
rbaldehyde - FEMA 0		Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 1 1 ATE oral = 4.000,0 mg/kg ATE dermal = 5.000,0 mg/kg				
Coumarin	>= 0,1 < 1%	Acute Tox. 4, H302; Skin Sens. 1, H317; STOT RE 2, H373 ATE oral = 293,0 mg/kg ATE dermal = 242,0 mg/kg	ND	91-64-5	202-086-7	01-2119943 756-26-000 0
Eugenol	>= 0,1 < 1%	Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 2.000,0 mg/kg	ND	97-53-0	202-589-1	01-2119971 802-33-000 0
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides - FEMA 0	< 0,1%	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 100 100 ATE oral = 344,0 mg/kg ATE dermal = 3.340,0 mg/kg ATE inhal = 5,0mg/l/4 h	ND	68424-85-1	270-325-2	ND
Isoeugenol	>= 0,01 < 0,1%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317; Eye Irrit. 2, H319 Limits: Skin Sens. 1A, H317 %C >=0,01;	604-094-00-X	97-54-1	202-590-7	ND
ethanol	< 0,1%	Flam. Liq. 2, H225 ATE oral = 7.060,0 mg/kg ATE dermal = 20.000,0 mg/kg ATE inhal = 20.000,0mg/l/4 h	603-002-00-5	64-17-5	200-578-6	01-2119457 610-43

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only

suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water and soap.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Wear protective gloves and clothing.

Eliminate all open flames and possible sources of ignition.

Not smoking.

Provide adequate ventilation.

Evacuate the danger area and, if necessary, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

Wear protective gloves/protective clothing/eye protection/face protection.

At work do not eat or drink.

Contaminated work clothing should not be allowed out of the workplace.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources.

Private households (= general public = consumers):

Handle with care.

Store in ventilated place away from heat sources,

Keep the container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

ethanol:

Component CAS-No. Value Control parameters

Basis

Ethanol-17-64 TWA 5 ppm 1.000

1.920 mg/m³

UK. EH40 WEL-Workplace Exposure Limits

Remarks Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used

- Substance: Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

DNEL

Systemic effects Long term Workers inhalation = 44 (mg/m³)

Systemic effects Long term Workers dermal = 312,5 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 13 (mg/m³)

Systemic effects Long term Consumers dermal = 187,5 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 7,5 (mg/kg bw/day)

PNEC

Sweet water = 0,00191 (mg/l)

sediment Sweet water = 0,58 (mg/kg/sediment)

Sea water = 0,000191 (mg/l)

sediment Sea water = 0,058 (mg/kg/sediment)

intermittent emissions = 0,0191 (mg/l)

STP = 2,96 (mg/l)

ground = 0,115 (mg/kg ground)

- Substance: 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone

DNEL

Systemic effects Long term Workers inhalation = 1,76 (mg/m³)

Systemic effects Long term Workers dermal = 1,73 (mg/kg bw/day)

Systemic effects Short term Workers inhalation = 1,76 (mg/m³)

Systemic effects Short term Workers dermal = 1,73 (mg/kg bw/day)

PNEC

Sweet water = 0,0028 (mg/l)

sediment Sweet water = 3,73 (mg/kg/sediment)

Sea water = 0,00028 (mg/l)

sediment Sea water = 0,75 (mg/kg/sediment)

ground = 0,705 (mg/kg ground)

- Substance: Geraniol

DNEL

Systemic effects Long term Workers inhalation = 161,6 (mg/m³)

- Substance: Citronellol

DNEL

Systemic effects Long term Workers inhalation = 161,6 (mg/m³)

- Substance: Linalool

DNEL

Systemic effects Long term Workers inhalation = 2,8 (mg/m³)

Systemic effects Long term Workers dermal = 2,5 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 0,7 (mg/m³)

Systemic effects Long term Consumers dermal = 1,25 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,2 (mg/kg bw/day)

- Substance: Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
DNEL

Systemic effects Long term Workers inhalation = 3,96 (mg/m³)
Systemic effects Long term Workers dermal = 5,7 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 1,64 (mg/m³)
Systemic effects Long term Consumers dermal = 3,4 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 3,4 (mg/kg bw/day)

PNEC

Sweet water = 0,0009 (mg/l)
sediment Sweet water = 12,27 (mg/kg/sediment)
Sea water = 0,00096 (mg/l)
sediment Sea water = 13,09 (mg/kg/sediment)
intermittent emissions = 0,00016 (mg/l)
STP = 0,4 (mg/l)
ground = 7 (mg/kg ground)

- Substance: ethanol

DNEL

Systemic effects Long term Workers inhalation = 950 (mg/m³)
Systemic effects Long term Workers dermal = 343 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 114 (mg/m³)
Systemic effects Long term Consumers dermal = 206 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 87 (mg/kg bw/day)

PNEC

Sweet water = 0,96 (mg/l)
sediment Sweet water = 3,6 (mg/kg/sediment)
Sea water = 0,79 (mg/l)
sediment Sea water = 2,9 (mg/kg/sediment)
intermittent emissions = 2,75 (mg/l)
STP = 580 (mg/l)
ground = 0,63 (mg/kg ground)

8.2. Exposure controls



Appropriate engineering controls:
Industrial Manufacturing:
No specific monitoring foreseen

Private households (= general public = consumers):
No specific checks planned

Public domain (administration, education, entertainment, services, craftsmen):
No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

Handle with gloves. Gloves must be checked before use. Use a technique

suitable for removing gloves (without touching the outer surface of the glove) to avoid the skin contact with this product. Dispose of contaminated gloves after use in accordance with current legislation and good laboratory practices. Wash and dry your hands.

The selected protective gloves have to satisfy the requirements of EU directive 89/686 / EEC e the resulting EN 374 standards.

Full contact

Material: Nitrile rubber

minimum thickness: 0.11 mm

breakthrough time: 480 min

The choice of an appropriate glove depends not only on the material but also on other quality characteristics which vary from one manufacturer to another.

For the choice of the type of gloves to use consult the supplier / manufacturer of the gloves.

Observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	Liquid	
Colour	white	
Odour	Characteristic	
Odour threshold	non determinato	
Melting point/freezing point	not determined	
Boiling point or initial boiling point and boiling range	irrelevant	
Flammability	not determined	
Lower and upper explosion limit	not determined	
Flash point	> 65 °C	ASTM D92
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
pH	6,5 @ 1%	
Kinematic viscosity	not determined	
Solubility	Completely soluble in water	
Water solubility	not determined	
Partition coefficient n-octanol/water (log value)	not determined	
Vapour pressure	not determined	
Density and/or relative density	0,950 - 1,050 g/cm ³	
Relative vapour density	not determined	

Physical and chemical properties	Value	Determination method
Particle characteristics	irrelevant	

9.2. Other information

9.2.1 Information with regard to physical hazard classes

No data available.

9.2.2 Other safety characteristics

Content of VOC ready to use condition: 2,33 %

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.

It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 29.366,8 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: Cyclohexyl salicylate: Oral, rat, LD50 : > 2000 mg/kg

2,6-dimethyloct-7-en-2-ol: LD50 Oral - rat - 3,600 mg/kg
LD50 Dermal - rabbit - > 5,000 mg/kg

4-tert-Butylcyclohexyl acetate: Rats (10 per dose, sex and strain not reported) were administered 4-tert-butylcyclohexyl acetate by gavage at 5000 mg/kg-bw. No information on mortality was reported
Rabbits (4, sex and strain not reported) were administered 4-tert-butylcyclohexyl acetate dermally at 5000 mg/kg-bw. One rabbit died.

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone: TOXIC DOSE 1-LD > 50 5000 mg/kg (oral rat)

TOXIC DOSE 2-LD > 50 5000 mg/kg (skn-rbt)

Geraniol: LD50 Oral (rat) (mg / kg body weight) = 3500

LD50 Dermal (rabbit) (mg / kg body weight) => 5000

LC50 Inhalation (rat) of vapor / dust / aerosol / smoke (mg / l / 4h): 0.5

Citronellol: orl-rat LD50:3450 mg/kg

skn-rbt LD50:2650 mg/kg

ihl-rat LCLo:1.3 mg/m³/4H

[3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one: LD50 rat Dose: > 5.000 mg/kg

LD50 rabbit Dose: > 5.000 mg/kg

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: LD 50 ORAL (mg/kg) : >4000

ORGANISM : RAT

LD 50 DERMAL (mg/kg) : >5000

ORGANISM : RABBIT

ethanol: LD50 Oral-rat-7.060 mg/kg

Remarks: Lungs, Thorax, or Respiration: Other changes.

LC50 Inhalation-rat-10:0-20000 ppm

(b) skincorrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

Cyclohexyl salicylate: Non-irritant for skin. (OECD 404)

2,6-dimethyloct-7-en-2-ol: Skin - rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

4-tert-Butylcyclohexyl acetate: Rabbits (species, sex and number not specified) were administered 4-tert-butylcyclohexyl acetate dermally to the ears and backs. Observations of the backs included slight erythema after 1 and 5 min, severe erythema and slight edema at 15 min, and severe erythema and edema at 20 hours. On day 8, slight redness and severe scaling were observed. Observations of the ears included severe erythema and edema with blistering after 20 hours. Severe necrosis was recorded on day 8. (Bhatia, S.P., et al., Food and Chemical Toxicology 46 (2008) S36-S41) 4-tert-Butylcyclohexyl acetate was irritating to rabbit skin

Geraniol: skn-rbt 100 mg/24H SEV

skn-gpg 100 mg/24H SEV

skn-man 16 mg/24H SEV

Citronellol: skn-rbt 100 mg/24H SEV

Skin - Human - Skin irritation - 48 h

[3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one: rabbit

Result: Skin irritation

Exposure time: 12:0 am

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: TEST : ACUTE DERMAL IRRITATION

ORGANISM : RABBIT

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: rabbit Result: Method: DOT Corrosive

Exposure time: 12:0 am

ethanol: Skin-rabbit

Result: Irritating to skin. -12:0 am

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

Geraniol: Eyes-rabbit

Result: Risk of serious damage to eyes. -12:00 am

(Directive 67/548/EEC, Annex V, b. 5.)

ethanol: Eyes-rabbit

Result: Mild eye irritation-12:0 am

(Draize Test)

Cyclohexyl salicylate: Non-irritating to the eye. (OECD 405)

2,6-dimethyloct-7-en-2-ol: Eyes - rabbit

Result: Moderate eye irritation

(Draize Test)

4-tert-Butylcyclohexyl acetate: Albino rabbits (3/sex dose not specified) were instilled 0.1 mL aliquot of 0.625% solution (vehicle not reported) into the right eye of each rabbit with no further treatment while the left eye served as control. Scores were recorded according to the Draize scale. Slight to moderate irritation with conjunctival chemosis and discharge were observed in all three rabbits (mean score for redness and 1.9 for 1 chemosis). All eyes cleared by day 4. (Bhatia, S.P., et al., Food and Chemical Toxicology 46 (2008) S36-S41) 4-tert-Butylcyclohexyl acetate was irritating to rabbit eyes.

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: rabbit Result: Caustic Method: DOT (d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.

2,6-dimethyloct-7-en-2-ol: Maximisation Test

Did not cause sensitisation on laboratory animals

Geraniol: Guinea pig

May cause sensitisation by skin contact.

Citronellol: mouse - May cause sensitization by skin contact.

[3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one:

Maximisation study human

Result: Did not cause sensitization on laboratory animals.

Test substance: 30% in petrolatum

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: SENSITIZATION (ANIMAL): SENSITIZING

TEST : SKIN SENSITIZATION

ORGANISM : GUINEA PIG

SENSITIZATION (HUMAN) : NOT SENSITIZING

TEST : HRIPT

AT 10.00 (%) IN PETLM

Coumarin: Test: Inhalation Sensitization Route: Inhalation Species: Rat = 293 mg/kg

Test: Inhalation Sensitization Route: Inhalation Species: Mouse = 196 mg/kg

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: Buehler guinea pig Test Classification:

Did not cause sensitization on laboratory animals.

Result: not sensitizing Method: OECD Test Guideline 406

(e) germ cell mutagenicity: Cyclohexyl salicylate: Non-mutagenic (OECD 471)

4-tert-Butylcyclohexyl acetate: Salmonella typhimurium strains TA98, TA100, TA1535, TA1537 and Ta 1538 were exposed to 4-tert-butylcyclohexyl acetate at 8 to 5000 g/plate in a bacterial reverse mutation assay in the presence and absence of metabolic activation. Positive and negative controls were used but their response was not provided. Cytotoxicity was observed at and above 200 g/plate.

4-tert-Butylcyclohexyl acetate was not mutagenic in this assay.

(f) carcinogenicity: Geraniol: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

(g) reproductive toxicity: ethanol: Reproductive toxicity-Human-female-Oral

Effects on Newborn: Apgar score (human only). Effects on Newborn: Other measures or neonatal effects.

Effects on Newborn: Drug dependence.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure 4-tert-Butylcyclohexyl acetate: In a modified developmental toxicity screening test (OECD TG 421), CrI: CD pregnant (SD) rats were administered 4-tert-butylcyclohexyl acetate (a mixture of 71% trans and 28% cis) in corn oil by gavage at 0, 40, 160 or 640 mg/kg-bw per day during gestation days 7-20. Rats were Caesarean-sectioned on day 21 of gestation and examined for number and distribution of corpora lutea, implantation sites and placenta. Live and dead fetuses and early and late resorptions were recorded. Fetuses were examined for sex ratio, gross external alterations and skeletal and soft tissue alterations. There were no effects on maternal body weights, weight gain, food consumption or organ weights. Pup viability, body weights, external observations and microscopic examination showed no significant alterations that could be related to the administration of the test substance.

NOAEL (maternal or developmental toxicity) = 640 mg/kg-bw/day (based on no effects at the highest dose tested)

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

Cyclohexyl salicylate:

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized:

Oral, LD50: 5000 mg / kg (rat)

Dermal, LD50:> 2000 mg / kg (rat)

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

2,6-dimethyloct-7-en-2-ol:

Skin - rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

Eyes - rabbit

Result: Moderate eye irritation

(Draize Test)

Oral LD50 (rat) : 3600 mg/kg

Dermal LD50 (rabbit) >5000 mg/kg

LD50 (rat) Oral (mg/kg body weight) = 3600

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

4-tert-Butylcyclohexyl acetate:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

Geraniol:

LD50 (rat) Oral (mg/kg body weight) = 3500

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 0,5

Citronellol:

LD50 (rat) Oral (mg/kg body weight) = 3450

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2650

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 1,3

Linalool:

LD50 (rat) Oral (mg/kg body weight) = 2790

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5610

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 307

2-Methylundecanal:

LD50 Oral - rat -> 5.000 mg / kg

DL50 Dermal - rabbit -> 10,000 mg / kg

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 10000

[3R-(3 α ,3 α β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one:

LD50 (rat) Oral (mg/kg body weight) = 5000
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

4-Methyl-3-decen-5-ol:
LD50 (rat) Oral (mg/kg body weight) = 5000

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:
LD50 (rat) Oral (mg/kg body weight) = 4000
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

Coumarin:
Acute oral LD50 for rats: 293mg/kg
Acute oral LD50 for mice: 196mg/kg
Irritant date: Not determined
Inhalation data: Not determined
Mutagenicity data: Not determined
LD50 (rat) Oral (mg/kg body weight) = 293
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 242

Eugenol:
LD50 (rat) Oral (mg/kg body weight) = 2000

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:
LD50 (rat) Oral (mg/kg body weight) = 344
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 3340
CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 5

ethanol:

ROUTES of EXPOSURE: the substance can be absorbed into the body by inhalation of its fumes and ingestion.
INHALATION RISK: A harmful contamination of the air will be reached quite slowly due to evaporation of the substance at 20 C.
Effects of short-term exposure: the substance is irritating to the eyes. Inhalation of high vapour can cause irritation of the eyes and respiratory tract. The substance may cause effects on the central nervous system effects of REPEATED EXPOSURE or long term: the liquid degreasing the skin features. The substance may have an effect on the high central nervous system respiratory tract, causing irritation, headaches, fatigue and lack of concentration. See Notes.

ACUTE HAZARDS/Symptoms INHALATION Cough. Headaches. Fatigue. Drowsiness.
CUTE CUTE.
EYE Redness. Pain. Burning.
SWALLOWED burning sensation. Headaches. Confusion. Vertigo. State of unconsciousness.

NOT and consumption of ethanol during pregnancy can have adverse effects on the unborn child. Chronic ethanol ingestion can cause cirrhosis of the liver.

LD50 (rat) Oral (mg/kg body weight) = 7060
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 20000
CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 20000

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information

12.1. Toxicity

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Related to contained substances:

Cyclohexyl salicylate:

Brachydanio rerio (zebra fish), 96h, LC50 : 1 to 10 mg/L

Algae, 48h, IC50 : < 1 mg/L

Daphnia magna, 48h, EC50 : 1 to 10 mg/L

C(E)L50 (mg/l) = 1,1

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized:

fish, CL50 : 1,91 mg/l (OECD 203 (96h))

daphnia, CE50 : 2,23 mg/l (EU Method C.2 (48h))

alga, C150 : 2,14 mg/l (OECD 201 (72h))

C(E)L50 (mg/l) = 1,91

2,6-dimethyloct-7-en-2-ol:

96 Hour LC50 = 4.81 mg/l EPA ECOSAR

Daphnia magna 48 hrs LC50 = 5.70 mg

Green algae 96 hr NOEC, LOEC or NOEL, LOEL EC50 = 3.88 mg/l

C(E)L50 (mg/l) = 4,81

4-tert-Butylcyclohexyl acetate:

Golden ide (*Leuciscus idus*) were exposed to 4-tert-butylcyclohexyl acetate at nominal concentrations of 0, 10, 13, 16 and 20 mg/L under static conditions for 48 hours. EF Marlowet was used as a solubilizer. Mortality was 0, 10, 100 and 80% at 10, 13, 16 and 20 mg/L.

48-h LC50 = 14 mg/L

Water fleas (*Daphnia magna*) were exposed to 4-tert-butylcyclohexyl acetate at nominal concentrations of 2.8 to 28.4 mg/L (measured concentrations, 2.4 to 28.4 mg/L) under static conditions for 48 hours.

48-h EC50 = 23.4 mg/L

C(E)L50 (mg/l) = 14

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated:

Acute toxicity to fish

LC50 - 96 h : 7.5 mg/l - *Lepomis macrochirus* (Bluegill sunfish)

Harmful to fish.

LC50 - 96 h : 12 mg/l - *Danio rerio* (zebra fish)

Method: OECD Test Guideline 203

Harmful to fish.

Acute toxicity to daphnia and other aquatic invertebrates.

Tridecyl alcohol ethoxylated : LC50 - 48 h : 4.7 mg/l - *Daphnia magna* (Water flea)

Method: OECD Test Guideline 202

Toxic to aquatic invertebrates.

Toxicity to aquatic plants

Tridecyl alcohol ethoxylated : ErC50 - 72 h : 17 mg/l - *Scenedesmus subspicatus*

Harmful to algae.

C(E)L50 (mg/l) = 4,7

3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one:

Rainbow Trout (average length, 5.8 cm), acclimatized for 12 days, were exposed to a series of 5 test concentrations of 0, 7.8, 10.9, 15.3, 21.4, or 30 mg/L dispersed in Polysorbate 80 (10 mg/L) for 96 hours at 17.1 °C. Control fish were exposed to Polysorbate 80 (10 mg/L). Fish were observed twice daily for mortality and symptoms. pH values and water

temperature were monitored after substance addition at 24 hour intervals. Dissolved oxygen was measured at the beginning of the experiment and at 96 hours.

LC50 = 10.9 mg/L

Daphnia magna 48h - LC50 = 0.597 mg/L

72 hr EC50=7.47 mg/L based on average specific growth rate;

C(E)L50 (mg/l) = 0,597

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

Endpoint: LC50 species: lepomis macrochirus (fish-salt Bluegrill) = 1.30 mg/l-h Duration: 96-Note:: method: OECD 203 TG

Endpoint: EC50-species: Daphnia magna (Water flea) = 1.38 mg/l-h Duration: 48-comments:: semi-static test method: OECD TG 202

Endpoint: EC50 Desmodesmus subspicatus-species (green algae) = 2.60 mg/l-h Duration: 72-

Note:: static test method: OECD TG201

C(E)L50 (mg/l) = 1,3

Geraniol:

static test LC50-zebrafish (zebra fish)-ca. 22 mg/l-96 h (OECD Test Guideline 203)

Broadcast application EC50-Daphnia magna (Water flea)-10.8 mg/l-48 h (OECD Test Guideline 202)

Growth inhibition EC50-Desmodesmus subspicatus (green algae)-13.1 mg/l-72 h

C(E)L50 (mg/l) = 10,8

Citronellol:

LC50 (96 h) 14,66 mg/l, Leuciscus idus

EC50 (48 h) 17 mg/l, Daphnia magna

EC50 (72 h) 2,4 mg/l, Scenedesmus subspicatus

C(E)L50 (mg/l) = 2,4

Linalool:

Fish: 96h LC50:39 mg/L (Oryzias latipes)

Crustacea: 48h EC50:52 mg/L (Daphnia magna)

Algae: 72h EC50:28 mg/L (Selenastrum capricornutum)

C(E)L50 (mg/l) = 27,799999

Coumarin:

Toxicity to fish LC50 - Poecilia reticulata (guppy) - 56 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates LC50 - Daphnia magna (Water flea) - 3.5 mg/l - 48 h

C(E)L50 (mg/l) = 13,5

Eugenol:

Toxicity to fish Lc50-Danio rerio (zebrafish)-13 mg/l-96 h (OECD TEST GUIDELINE 203) Toxicity to daphnia and other aquatic invertebrates – Daphnia Ec50-1.13 mg/l-48 h

C(E)L50 (mg/l) = 1,13

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

C(E)L50 (mg/l) = 0,01 100

100

ethanol:

C(E)L50 (mg/l) = 11200

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:

Cyclohexyl salicylate:

Readily biodegradable (OECD 301)

2,6-dimethyloct-7-en-2-ol:

72% within 28 days in an OECD 301B assay

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated:

The substance fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability

Geraniol:

Aerobic chemical oxygen demand:

Exposure time 3 days

Result: 80 - 100% - Easily biodegradable.

(OECD Test Guideline 301A)

Linalool:

90 % (by BOD), 99 % (by TOC), 100 % (by GC)

4-Methyl-3-decen-5-ol:

Biodegradability: Result: Readily biodegradable.

73%

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Biodegradability:

OECD Confirmatory > 90% Test Method: OECD 303 A Modified SCAS Test Exposure time: 99% 7 d > Method: OECD Test 302 Evolution CO2 Concentration: 5 mg/litre Exposure time: 28 d Result: Readily biodegradable.

95.5% Method: OECD 301 B

12.3. Bioaccumulative potential

Related to contained substances:

Linalool:

106

Coumarin:

Bioaccumulation *Leuciscus idus melanotus* - 3 d -46 µg/l

Bioconcentration factor (BCF): < 10

12.4. Mobility in soil

Related to contained substances:

Geraniol:

log Pow: 3.47

Linalool:

log Pow: 2.55

Soil adsorption (Koc): 75

Henry's Law constant(PaM3/mol): 2

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 0000

ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg

14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (Composti di ammonio quaternario, benzil-C12-16-alchildimetil, cloruri, etanolo, Cyclohexyl salicylate, acetato di 4-terz-butilcicloesile, 3-metil-4-(2,6,6-trimetilcicloes-2-enil)but-3-en-2-one, 1',2',3',4',5',6',7',8'-ottaidro-2',3',8',8'-tetrametil-2'-acetonaftone, ACETYLCEDRENE, Coumarin, Cineolo, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, α -Hexylcinnamaldehyde)

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, benzil-C12-16-alkyldimethyl, chlorides, ethanol, Cyclohexyl salicylate, 4-tert-Butylcyclohexyl acetate, 3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one, 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, [3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one, Coumarin, cineole, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, α -Hexylcinnamaldehyde)

ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, benzil-C12-16-alkyldimethyl, chlorides, ethanol, Cyclohexyl salicylate, 4-tert-Butylcyclohexyl acetate, 3-methyl-4-(2,6,6-trimethylcyclohex-2-enyl)but-3-en-2-one, 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, [3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one, Coumarin, cineole, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, α -Hexylcinnamaldehyde)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9

ADR/RID/IMDG/ICAO-IATA: Label :

ADR: Tunnel restriction code : --
ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L
IMDG - EmS : F-A, S-F

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous
IMDG: Marine polluting agent : Yes

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category:

E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:

HP14 - Ecotoxic

Substances in the Candidate List (REACH Article 59)

Based on available data, no SVHC substances are present

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 1.1. Product identifier, 2.1. Classification of the substance or mixture, 2.2. Label elements, 2.3. Other hazards, 4.3. Indication of any immediate medical attention and special treatment needed, 6.1. Personal precautions, protective equipment and emergency procedures, 8.1. Control parameters, 8.2. Exposure controls, 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008, 12.1. Toxicity, 12.2. Persistence and degradability, 12.3. Bioaccumulative potential, 12.4. Mobility in soil, 12.5. Results of PBT and vPvB assessment, 12.6. Endocrine disrupting properties, 14.1. UN number or ID number, 14.2. UN proper shipping name, 14.3. Transport hazard class(es), 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of the hazard statements exposed to point 3

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

H317 = May cause an allergic skin reaction.

H411 = Toxic to aquatic life with long lasting effects.
H302 = Harmful if swallowed.
H318 = Causes serious eye damage.
H335 = May cause respiratory irritation.
H226 = Flammable liquid and vapour.
H304 = May be fatal if swallowed and enters airways.
H412 = Harmful to aquatic life with long lasting effects.
H373 = May cause damage to organs through prolonged or repeated exposure .
H312 = Harmful in contact with skin.
H314 = Causes severe skin burns and eye damage.
H225 = Highly flammable liquid and vapour.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H315 - Causes skin irritation. Classification procedure: Calculation method
H317 - May cause an allergic skin reaction. Classification procedure: Calculation method
H319 - Causes serious eye irritation. Classification procedure: Calculation method
H411 - Toxic to aquatic life with long lasting effects. Classification procedure: Calculation method

Main normative references:

Directive 1999/45/EC
Directive 2001/60/EC
Regulation 1272/2008/EC
Regulation 2010/453/EC

** The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.
