

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : Hygienfresh Essenza Note di Pulito
Trades code : A48-028
Product line: Hygienfresh

UFI: D7Y1-U00P-400F-9U2W

1.2. Relevant identified uses of the substance or mixture and uses advised against

Perfumed essence for washing in water and for washing with perchlorine

Sectors of use:

Industrial Manufacturing[SU3], Private households (= general public = consumers)[SU21], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: info@tintolav.com - Sito internet: www.tintolav.com

Email tecnico competente: a.conedera@tintolav.com

National contact: Malta: Emergency Ambulance 112
Accident & Emergency Department 2545 4030

1.4. Emergency telephone number

The UK National Poisons Emergency number +44 (0)870 600 6266
London: Emergency 24 hour telephone +44 (0) 207188 0100

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05, GHS07, GHS09

Hazard Class and Category Code(s):

Acute Tox. 4, Skin Sens. 1B, Eye Dam. 1, Aquatic Chronic 2

Hazard statement Code(s):

H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

Harmful product: do not ingest

The product, if brought into contact with skin can cause skin sensitization.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:



Pictogram, Signal Word Code(s):
GHS05, GHS07, GHS09 - Danger

Hazard statement Code(s):
H302 - Harmful if swallowed.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):
not applicable

Precautionary statements:

General

- P101 - If medical advice is needed, have product container or label at hand.
- P102 - Keep out of reach of children.

Prevention

- P261 - Avoid breathing vapours.
- P264 - Wash your hand thoroughly after handling.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

- P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P302+P352 - IF ON SKIN: Wash with plenty of water and soap.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 - Immediately call a POISON CENTER/doctor/physician
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Disposal

- P501 - Dispose of contents / container in accordance with local and national regulations.

Contains:

parfum, trideceth-12, ricinus communis oil, ethoxydiglycol, Benzyl salicylate, phenethyl alcohol, Hexyl cinnamal, hexyl salicylate, tetramethyl acetyloctahydronaphthalenes, Geraniol, Citronellol, Eugenol, Coumarin, Hydroxy citronellal, Alpha isomethyl ionone, Linalool, Limonene.

Contains (Reg.CE 648/2004):

> 30% Fragrances, 15% < 30% Non-ionic surfactants, < 5% Benzyl salicylate, Hexyl cinnamal, Geraniol, Citronellol, Eugenol, Coumarin, Hydroxy citronellal, Alpha isomethyl ionone, Linalool, Limonene.

Packaging to be fitted with a tactile warning

Content of VOC ready to use condition: 22,83 %

UFI: D7Y1-U00P-400F-9U2W

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

No information on other hazards

SECTION 3. Composition/information on ingredients
3.1 Substances

Irrelevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated - FEMA 0	>= 25 < 35%	Acute Tox. 4, H302; Eye Dam. 1, H318	ND	24938-91-8	ND	ND
Benzyl salicylate	>= 1 < 5%	Skin Sens. 1B, H317; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 1 1 ATE oral = 2.227,0 mg/kg	607-754-00-5	118-58-1	204-262-9	01-2119969 442-31
2-phenylethanol - FEMA 2858	>= 1 < 5%	Acute Tox. 4, H302; Eye Irrit. 2, H319 ATE oral = 1.790,0 mg/kg ATE dermal = 806,0 mg/kg	ND	60-12-8	200-456-2	01-2119963 921-31
2-tert-Butylcyclohexyl acetate - FEMA 0	>= 1 < 5%	Aquatic Chronic 2, H411 1 1 ATE oral = 3.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	88-41-5	201-828-7	01-2119970 713-33
α-Hexylcinnamaldehyde	>= 1 < 5%	Skin Sens. 1, H317; Aquatic Chronic 2, H411 ATE oral = 2.450,0 mg/kg	ND	101-86-0	202-983-3	01-2119533 092-50
Hexyl salicylate - FEMA 0	>= 1 < 5%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 1 1 ATE oral = 5.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	6259-76-3	228-408-6	01-2119638 275-36-000 2
2,6-dimethyloct-7-en-2-ol - FEMA 0	>= 1 < 5%	Skin Irrit. 2, H315; Eye Irrit. 2, H319	ND	18479-58-8	242-362-4	01-2119457 274-37

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
		ATE oral = 3.600,0 mg/kg ATE dermal = 5.000,0 mg/kg				
benzyl acetate - FEMA 2135	>= 1 < 5%	Aquatic Chronic 3, H412 1 1 ATE oral = 2.490,0 mg/kg ATE dermal = 5.000,0 mg/kg ATE inhal = 245,0mg/l/4 h	ND	140-11-4	205-399-7	01-2119638 272-42
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone - FEMA 0	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 1, H410 1 1 ATE oral = 5.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	54464-57-2	259-174-3	01-2119489 989-04
Geraniol - FEMA 2507	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Dam. 1, H318 ATE oral = 3.500,0 mg/kg ATE dermal = 5.000,0 mg/kg ATE inhal = 0,5mg/l/4 h	603-241-00-5	106-24-1	203-377-1	01-2119552 430-49-000 0
Citronellol	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319; STOT SE 3, H335 ATE oral = 3.450,0 mg/kg ATE dermal = 2.650,0 mg/kg ATE inhal = 1,3mg/l/4 h	ND	106-22-9	203-375-0	01-2119453 995-23-000 0
Eugenol	>= 0,1 < 1%	Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 2.000,0 mg/kg	ND	97-53-0	202-589-1	01-2119971 802-33-000 0
Coumarin	>= 0,1 < 1%	Acute Tox. 4, H302; Skin Sens. 1, H317; STOT RE 2, H373 ATE oral = 293,0 mg/kg ATE dermal = 242,0 mg/kg	ND	91-64-5	202-086-7	01-2119943 756-26-000 0
7-hydroxycitronellal	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Dam. 1, H318; Eye Irrit. 2, H319 ATE oral = 5.000,0 mg/kg	ND	107-75-5	ND	ND
2,6-di-tert-butyl-p-cresol - FEMA	>= 0,1 < 1%	Aquatic Acute 1,	ND	128-37-0	204-881-4	01-211956

In conformity to Regulation (EU) 2020/878

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
2184		H400; Aquatic Chronic 1, H410 1 1 ATE oral = 1.700,0 mg/kg ATE dermal = 8.000,0 mg/kg				5113-46
1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	>= 0,1 < 1%	Skin Corr. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411 1 1	ND	68155-67-9	268-979-9	ND
1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 1, H410 1 1 ATE oral = 5.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	68155-66-8	268-978-3	01-2119489 989-04-000 0
Ethoxymethoxy cyclododecane - FEMA 0	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411 1 1 ATE oral = 5.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	58567-11-6	261-332-1	ND
Linalool	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 2.790,0 mg/kg ATE dermal = 5.610,0 mg/kg ATE inhal = 307,0mg/l/4 h	603-235-00-2	78-70-6	201-134-4	01-2119474 016-42-000 0
2,4-dimethylcyclohex-3-ene-1-carbaldehyde - FEMA 0	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 1 1 ATE oral = 4.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	68039-49-6	268-264-1	ND
nerol - FEMA 2770	>= 0,1 < 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319 ATE oral = 4.500,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	106-25-2	203-378-7	01-2119983 244-33
Isoeugenol	< 0,1%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317;	604-094-00-X	97-54-1	202-590-7	ND

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
		Eye Irrit. 2, H319 Limits: Skin Sens. 1A, H317 %C >=0,01;				

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated room.
CALL A PHYSICIAN.

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area.
If you feel unwell seek medical advice.

If breathing has stopped, give artificial respiration.

Direct contact with skin (of the pure product):

In case of contact with skin, wash immediately with water and soap.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

The product is harmful and can cause irreversible damages even following a single exposure if swallowed.
Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus
Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction
You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)
Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:
Leave the area surrounding the spill or release. Do not smoke
Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:
Wear mask, gloves and protective clothing. Suitable: LaTeX, nitrile, PVC
Eliminate all unguarded flames and possible sources of ignition. No smoking.
Provision of sufficient ventilation.
Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.
If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.
Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:
Rapidly recover the product, wear a mask and protective clothing
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.
Prevent it from entering the sewer system.

6.3.2 For cleaning up:
After wiping up, wash with water the area and materials involved

6.3.3 Other information:
None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors
Wear protective gloves/protective clothing/eye protection/face protection.
In residential areas do not use on large surfaces.
At work do not eat or drink.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources.

Private households (= general public = consumers):

Handle with care.

Store in ventilated place away from heat sources,

Keep the container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

- Substance: α -Hexylcinnamaldehyde

DNEL

Systemic effects Long term Workers inhalation = 0,000078 (mg/m³)

Systemic effects Short term Workers inhalation = 0,00628 (mg/m³)

PNEC

Sweet water = 0,03 (mg/l)

sediment Sweet water = 47,7 (mg/kg/sediment)

Sea water = 0,003 (mg/l)

sediment Sea water = 4,77 (mg/kg/sediment)

ground = 9,51 (mg/kg ground)

- Substance: Hexyl salicylate

DNEL

Systemic effects Long term Workers inhalation = 0,79 (mg/m³)

Systemic effects Long term Workers dermal = 2083 (mg/kg bw/day)

Systemic effects Short term Workers inhalation = 0,79 (mg/m³)

Systemic effects Short term Workers dermal = 2083 (mg/kg bw/day)

- Substance: benzyl acetate

DNEL

Systemic effects Long term Workers inhalation = 21,9 (mg/m³)

Systemic effects Long term Workers dermal = 6,25 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 5,5 (mg/m³)

Systemic effects Long term Consumers dermal = 3,125 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 3,125 (mg/kg bw/day)

- Substance: Geraniol

DNEL

Systemic effects Long term Workers inhalation = 161,6 (mg/m³)

- Substance: Citronellol

DNEL

Systemic effects Long term Workers inhalation = 161,6 (mg/m³)

- Substance: 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone

DNEL

Systemic effects Long term Workers inhalation = 1,76 (mg/m³)

Systemic effects Long term Workers dermal = 1,73 (mg/kg bw/day)

Systemic effects Short term Workers inhalation = 1,76 (mg/m³)

Systemic effects Short term Workers dermal = 1,73 (mg/kg bw/day)

PNEC

Sweet water = 0,0028 (mg/l)

sediment Sweet water = 3,73 (mg/kg/sediment)

Sea water = 0,00028 (mg/l)

sediment Sea water = 0,75 (mg/kg/sediment)

ground = 0,705 (mg/kg ground)

- Substance: Linalool

DNEL

Systemic effects Long term Workers inhalation = 2,8 (mg/m³)

Systemic effects Long term Workers dermal = 2,5 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 0,7 (mg/m³)

Systemic effects Long term Consumers dermal = 1,25 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,2 (mg/kg bw/day)

- Substance: 2,6-di-tert-butyl-p-cresol

DNEL

Systemic effects Long term Workers inhalation = 3,5 (mg/m³)

Systemic effects Long term Workers dermal = 8,3 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 1,74 (mg/m³)

Systemic effects Long term Consumers dermal = 5 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,25 (mg/kg bw/day)

- Substance: 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

DNEL

Systemic effects Short term Workers inhalation = 1,76 (mg/m³)

Systemic effects Short term Workers dermal = 1,73 (mg/kg bw/day)

PNEC

Sweet water = 0,0028 (mg/l)

sediment Sweet water = 3,73 (mg/kg/sediment)

Sea water = 0,00028 (mg/l)

sediment Sea water = 0,75 (mg/kg/sediment)

ground = 0,705 (mg/kg ground)

- Substance: 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

DNEL

Systemic effects Short term Workers dermal = 1,73 (mg/kg bw/day)

Systemic effects Short term Consumers oral = 1,76 (mg/kg bw/day)

Local effects Short term Workers dermal = 0,1011 (mg/kg bw/day)

PNEC

Sweet water = 0,0028 (mg/l)

sediment Sweet water = 3,73 (mg/kg/sediment)

Sea water = 0,00028 (mg/l)

sediment Sea water = 0,75 (mg/kg/sediment)

ground = 0,705 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen



Private households (= general public = consumers):
No specific checks planned

Public domain (administration, education, entertainment, services, craftsmen):
No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

Manipulate with gloves. The gloves should be checked before being used. Use a technique suitable for the removal of gloves (without touching the outside of the glove) to avoid skin contact with this product dispose of contaminated gloves after use in accordance with the legislation and good laboratory practices. Wash and dry your hands.

Selected protective gloves shall comply with the requirements of EU Directive 89/686/EEC and EN 374 standards arising therefrom.

Full contact

Material: nitrile rubber

minimum thickness: 0.11 mm

permeation time: 480 min

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	Liquid	
Colour	straw yellow	
Odour	Characteristic	
Odour threshold	not determined	
Melting point/freezing point	not determined	
Boiling point or initial boiling point and boiling range	not determined	
Flammability	nonflammable	
Lower and upper explosion limit	not determined	
Flash point	> 65 °C	ASTM D92
Auto-ignition temperature	not determined	

Physical and chemical properties	Value	Determination method
Decomposition temperature	not determined	
pH	not determined	
Kinematic viscosity	not determined	
Solubility	irrelevant	
Water solubility	Completely soluble in water	
Partition coefficient n-octanol/water (log value)	not determined	
Vapour pressure	not determined	
Density and/or relative density	0,980 - 1,020 g /cm ³	
Relative vapour density	not determined	
Particle characteristics	irrelevant	

9.2. Other information

Content of VOC ready to use condition: 22,83 %

9.2.1 Information with regard to physical hazard classes

Irrilevant

9.2.2 Other safety characteristics

Irrilevant

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can ignite in contact with oxidants mineral acids.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 1.687,6 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: Harmful product: do not ingest

Benzyl salicylate: Oral Rat LD50 = 2227 mg/kg bw

2-tert-Butylcyclohexyl acetate: Dermal, rodent-rabbit: Ld50 = > 5000 mg/kg

Oral, rat: LD = 3000 mg/kg

α-Hexylcinnamaldehyde: Oral (rat) LD50: 2450 mg/kg

2,6-dimethyloct-7-en-2-ol: LD50 Oral - rat - 3,600 mg/kg

LD50 Dermal - rabbit - > 5,000 mg/kg

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone: TOXIC DOSE 1-LD > 50 5000 mg/kg (oral rat)

TOXIC DOSE 2-LD > 50 5000 mg/kg (skn-rbt)

Geraniol: LD50 Oral (rat) (mg / kg body weight) = 3500

LD50 Dermal (rabbit) (mg / kg body weight) => 5000

LC50 Inhalation (rat) of vapor / dust / aerosol / smoke (mg / l / 4h): 0.5

Citronellol: orl-rat LD50:3450 mg/kg

skn-rbt LD50:2650 mg/kg

ihl-rat LCLo:1.3 mg/m³/4H

2,6-di-tert-butyl-p-cresol: LD50 oral: 1700 mg/kg (rat)

LD50 oral: 800 - 1600 mg/kg (mouse)

LD50 dermal: >8000 mg/kg (guinea pig)

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: LD 50 ORAL (mg/kg) : >4000

ORGANISM : RAT

LD 50 DERMAL (mg/kg) : >5000

ORGANISM : RABBIT

(b) skincorrosion/irritation: benzyl acetate: Skin - rabbit - Irritating to skin - 24 h

Benzyl salicylate: Skin - rabbit

Result: No skin irritation

(OECD Test Guideline 404)

2,6-dimethyloct-7-en-2-ol: Skin - rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

benzyl acetate: Skin-rabbit-skin irritant-24 h

Geraniol: skn-rbt 100 mg/24H SEV

skn-gpg 100 mg/24H SEV

skn-man 16 mg/24H SEV

Citronellol: skn-rbt 100 mg/24H SEV

Skin - Human - Skin irritation - 48 h

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: TEST : ACUTE DERMAL IRRITATION

ORGANISM : RABBIT

nerol: Skin - rabbit - Irritating to skin - 24 h

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

Geraniol: Eyes-rabbit

Result: Risk of serious damage to eyes. -12:00 am

(Directive 67/548/EEC, Annex V, b. 5.)

Benzyl salicylate: Eyes - In vitro study

Result: Moderate eye irritation
(OECD Test Guideline 437)

Eyes - rabbit

Result: Irritating to eyes.

(Draize Test)

2-tert-Butylcyclohexyl acetate: Draize test, rabbit and rodent skin: 500 mg/12:0 am Moderate

2,6-dimethyloct-7-en-2-ol: Eyes - rabbit

Result: Moderate eye irritation

(Draize Test)

(d) respiratory skinsensitisation: The product, if brought into contact with skin can cause skin sensitization.

2,6-dimethyloct-7-en-2-ol: Maximisation Test

Did not cause sensitisation on laboratory animal

Geraniol: Guinea pig

May cause sensitisation by skin contact.

Citronellol: mouse - May cause sensitization by skin contact.

Coumarin: Test: Inhalation Sensitization Route: Inhalation Species: Rat = 293 mg/kg

Test: Inhalation Sensitization Route: Inhalation Species: Mouse = 196 mg/kg

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: SENSITIZATION (ANIMAL): SENSITIZING

TEST : SKIN SENSITIZATION

ORGANISM : GUINEA PIG

SENSITIZATION (HUMAN) : NOT SENSITIZING

TEST : HRIPT

AT 10.00 (%) IN PETLM

(e) germ cell mutagenicity: benzyl acetate: Laboratory tests revealed mutagenic effects.

Genotoxicity in vitro lymphocyte-topo-

mutation in mammalian somatic cells

In vitro genotoxicity-Hamster-Lungs

Cytogenetic analysis

(f) carcinogenicity: benzyl acetate: Cancerogenicity-rat-Oral

Oncogenia: second neoplastic RTECS gastrointestinal tumors

Cancerogenicity-rat-Oral

Oncogenia: Liver cancer second neoplastic RTECS:

This product or contains a component that cannot be classified according to its effect

carcinogen IARC classification, ACGIH, NTP or EPA.

IARC: Group 3-3: Not classifiable as to its carcinogenicity to humans (Benzyl acetate)

Geraniol: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.

(j) aspiration hazard: Benzyl salicylate: in vivo assay - mouse

May cause allergic skin reaction.

(OECD Test Guideline 429)

Related to contained substances:

Benzyl salicylate:

LD50 (rat) Oral (mg/kg body weight) = 2227

2-phenylethanol:

LD50 (rat) Oral (mg/kg body weight) = 1790

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 806

2-tert-Butylcyclohexyl acetate:

LD50 (rat) Oral (mg/kg body weight) = 3000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

α -Hexylcinnamaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 2450

Hexyl salicylate:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

2,6-dimethyloct-7-en-2-ol:

Skin - rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

Eyes - rabbit

Result: Moderate eye irritation

(Draize Test)

Oral LD50 (rat) : 3600 mg/kg

Dermal LD50 (rabbit) >5000 mg/kg

LD50 (rat) Oral (mg/kg body weight) = 3600

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

benzyl acetate:

Oral LD50-rat-2,490 mg/kg

Observations: behavior: somnolence (General depressed activity)

LD50 Dermal-rabbit-> 5,000 mg/kg

Acute toxicity of the vapor (LC50): 245 8 hours

LD50 (rat) Oral (mg/kg body weight) = 2490

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 245

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

Geraniol:

LD50 (rat) Oral (mg/kg body weight) = 3500

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 0,5

Citronellol:

LD50 (rat) Oral (mg/kg body weight) = 3450

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2650

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 1,3

Eugenol:

LD50 (rat) Oral (mg/kg body weight) = 2000

Coumarin:

Acute oral LD50 for rats: 293mg/kg

Acute oral LD50 for mice: 196mg/kg

Irritant date: Not determined

Inhalation data: Not determined

Mutagenicity data: Not determined

LD50 (rat) Oral (mg/kg body weight) = 293

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 242

7-hydroxycitronellal:

LD50 (rat) Oral (mg/kg body weight) = 5000

2,6-di-tert-butyl-p-cresol:

LD50 (rat) Oral (mg/kg body weight) = 1700
LD50 Dermal (rat or rabbit) (mg/kg body weight) = 8000

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Acute oral toxicity

LD50 rat

Dose: > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: IFF

Acute dermal toxicity

LD50 rat

Dose: > 5,000 mg/kg

Method: OECD Test Guideline 402

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

Ethoxymethoxy cyclododecane:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

Linalool:

LD50 (rat) Oral (mg/kg body weight) = 2790

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5610

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 307

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 4000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

nerol:

LD50 Oral - rat - 4.500 mg / kg

DL50 Dermal - on rabbit -> 5.000 mg / kg

LD50 (rat) Oral (mg/kg body weight) = 4500

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated:

Acute toxicity to fish

LC50 - 96 h : 7.5 mg/l - Lepomis macrochirus (Bluegill sunfish)

Harmful to fish.

LC50 - 96 h : 12 mg/l - Danio rerio (zebra fish)

Method: OECD Test Guideline 203

Harmful to fish.

Acute toxicity to daphnia and other aquatic invertebrates.

Tridecyl alcohol ethoxylated : LC50 - 48 h : 4.7 mg/l - Daphnia magna (Water flea)

Method: OECD Test Guideline 202

Toxic to aquatic invertebrates.

Toxicity to aquatic plants

Tridecyl alcohol ethoxylated : ErC50 - 72 h : 17 mg/l - Scenedesmus subspicatus

Harmful to algae.

C(E)L50 (mg/l) = 4,7 1

1

Benzyl salicylate:

Zebra fish (Brachydanio rerio) 96 hour LC50 = 1.03 mg/L

48 hour LC50 = 1.4mg/l

C(E)L50 (mg/l) = 1,03 1

1

2-tert-Butylcyclohexyl acetate:

Toxicity to daphnia (EC50 mg/l) as predicted by v. Topkat 6.1 9.8 mg/l

C(E)L50 (mg/l) = 9,8 1

1

α -Hexylcinnamaldehyde:

Freshwater Fish Toxicity: acute LC50 >1-10 mg/L

Freshwater Invertebrates Toxicity: acute EC <1 mg/L

Algal Toxicity: acute EC <1 mg/L.

C(E)L50 (mg/l) = 0,99

2,6-dimethyloct-7-en-2-ol:

96 Hour LC50 = 4.81 mg/l EPA ECOSAR

Daphnia magna 48 hrs LC50 = 5.70 mg

Green algae 96 hr NOEC, LOEC or NOEL, LOEL EC50 = 3.88 mg/l

C(E)L50 (mg/l) = 4,81 1

1

benzyl acetate:

Toxicity to fish Lc50-Oryzias latipes-4 mg/l-96 h

C(E)L50 (mg/l) = 4 1

1

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

Endpoint: LC50 species: lepomis macrochirus (fish-salt Bluegrill) = 1.30 mg/l-h Duration: 96-Note:: method: OECD 203 TG

Endpoint: EC50-species: Daphnia magna (Water flea) = 1.38 mg/l-h Duration: 48-comments:: semi-static test method: OECD TG 202

Endpoint: EC50 Desmodesmus subspicatus-species (green algae) = 2.60 mg/l-h Duration: 72-

Note:: static test method: OECD TG201

C(E)L50 (mg/l) = 1,3 1

1

Geraniol:

static test LC50-zebrafish (zebra fish)-ca. 22 mg/l-96 h (OECD Test Guideline 203)

Broadcast application EC50-Daphnia magna (Water flea)-10.8 mg/l-48 h (OECD Test Guideline 202)

Growth inhibition EC50-Desmodesmus subspicatus (green algae)-13.1 mg/l-72 h

C(E)L50 (mg/l) = 10,8 1
1

Citronellol:

LC50 (96 h) 14,66 mg/l, *Leuciscus idus*
EC50 (48 h) 17 mg/l, *Daphnia magna*
EC50 (72 h) 2,4 mg/l, *Scenedesmus subspicatus*
C(E)L50 (mg/l) = 2,4 1
1

Eugenol:

Toxicity to fish Lc50-Danio rerio (zebrafish)-13 mg/l-96 h (OECD TEST GUIDELINE 203) Toxicity to daphnia and other aquatic invertebrates – *Daphnia* Ec50-1.13 mg/l-48 h
C(E)L50 (mg/l) = 1,13 1
1

Coumarin:

Toxicity to fish LC50 - *Poecilia reticulata* (guppy) - 56 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates LC50 - *Daphnia magna* (Water flea) - 3.5 mg/l - 48 h
C(E)L50 (mg/l) = 13,5 1
1

2,6-di-tert-butyl-p-cresol:

Toxicity to fish LC50 - *Oryzias latipes* - 5.3 mg/l - 48 h
Toxicity to daphnia and other aquatic invertebrates EC50 - *Daphnia pulex* (Water flea) - 1.44 mg/l - 48 h
C(E)L50 (mg/l) = 1,44 1
1

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Toxicity to fish:
semi-static test LC50
Species: *Lepomis macrochirus* (Bluegill sunfish)
Dose: 1.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates.:

semi-static test EC50
Species: *Daphnia magna* (Water flea)
Dose: 1.38 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
IFF

C(E)L50 (mg/l) = 1,3 1
NOEC (mg/l) = 100 1

Ethoxymethoxy cyclododecane:

C(E)L50 (mg/l) = 1,6

Linalool:

Fish: 96h LC50:39 mg/L (*Oryzias latipes*)
Crustacea: 48h EC50:52 mg/L (*Daphnia magna*)

Algae: 72h EC50:28 mg/L (Selenastrum capricornutum)
C(E)L50 (mg/l) = 27,799999 1
1

nerol:
C(E)L50 (mg/l) = 2,16

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy; Isotridecanol, ethoxylated:
The substance fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability

2,6-dimethyloct-7-en-2-ol:
72% within 28 days in an OECD 301B assay

Geraniol:
Aerobic chemical oxygen demand:
Exposure time 3 days
Result: 80 - 100% - Easily biodegradable.
(OECD Test Guideline 301A)

Linalool:
90 % (by BOD), 99 % (by TOC), 100 % (by GC)

12.3. Bioaccumulative potential

Related to contained substances:
Coumarin:
Bioaccumulation *Leuciscus idus melanotus* - 3 d -46 µg/l
Bioconcentration factor (BCF): < 10

Linalool:
106

12.4. Mobility in soil

Related to contained substances:
Geraniol:
log Pow: 3.47

Linalool:
log Pow: 2.55
Soil adsorption (Koc): 75
Henry's Law constant(PaM3/mol): 2

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006,

annex XIII

12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 0000

ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg

14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (Salicilato di benzile, acetato di 2-terz-butilcicloesile, α -Hexylcinnamaldehyde, acetato di benzile,

1',2',3',4',5',6',7',8'-ottaidro-2',3',8',8'-tetrametil-2'-acetonaftone, Coumarin, 2,6-di-terz-butyl-p-cresolo,

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one,

1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 10-Undecenal, 3-(4-isopropylphenyl)propanal)

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl salicylate,

2-tert-Butylcyclohexyl acetate, α -Hexylcinnamaldehyde, benzyl acetate,

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, Coumarin, 2,6-di-tert-butyl-p-cresol,

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one,

1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 10-Undecenal, 3-(4-isopropylphenyl)propanal, p-cresol)

ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl salicylate,

2-tert-Butylcyclohexyl acetate, α -Hexylcinnamaldehyde, benzyl acetate,

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, Coumarin, 2,6-di-tert-butyl-p-cresol,

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one,

1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 10-Undecenal, 3-(4-isopropylphenyl)propanal, p-cresol)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9

ADR/RID/IMDG/ICAO-IATA: Label :

ADR: Tunnel restriction code : --

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L

IMDG - EmS : F-A, S-F

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous

IMDG: Marine polluting agent : Yes

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category:

E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:

HP4 - Irritant — skin irritation and eye damage

HP14 - Ecotoxic

Substances in the Candidate List (REACH Article 59)

Based on available data, no SVHC substances are present

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 2.2. Label elements, 2.3. Other hazards, 3.2 Mixtures, 8.1. Control parameters, 8.2. Exposure controls, 9.2. Other information, 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008, 12.1. Toxicity, 12.5. Results of PBT and vPvB assessment, 12.6. Endocrine disrupting properties, 14.2. UN proper shipping name, 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.

H318 = Causes serious eye damage.

H317 = May cause an allergic skin reaction.

H319 = Causes serious eye irritation.

H412 = Harmful to aquatic life with long lasting effects.

H411 = Toxic to aquatic life with long lasting effects.

H315 = Causes skin irritation.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H335 = May cause respiratory irritation.

H373 = May cause damage to organs through prolonged or repeated exposure .

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

- H302 - Harmful if swallowed. Classification procedure: Calculation method
- H317 - May cause an allergic skin reaction. Classification procedure: Calculation method
- H318 - Causes serious eye damage. Classification procedure: Calculation method
- H411 - Toxic to aquatic life with long lasting effects. Classification procedure: Calculation method

Main normative references:

Directive 1999/45/EC
Directive 2001/60/EC
Regulation 1272/2008/EC
Regulation 2010/453/EC

** The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.
