

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product code : Alcapower
Trades code : A39-045
Product line: Tintolav

UFI: XCJ1-W0G4-6007-2MP7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Alkaline detergent for washing with water. Wash water Booster

Sectors of use:

Industrial Manufacturing[SU3], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Private households (= general public = consumers)[SU21]

1.3. Details of the supplier of the safety data sheet

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: info@tintolav.com - Sito internet: www.tintolav.com

Email tecnico competente: a.conedera@tintolav.com

National contact: Malta: Emergency Ambulance 112
Accident & Emergency Department 2545 4030

1.4. Emergency telephone number

The UK National Poisons Emergency number +44 (0)870 600 6266
London: Emergency 24 hour telephone +44 (0) 207188 0100

SECTION 2. Hazards identification**2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:
GHS05

Hazard Class and Category Code(s):
Skin Corr. 1

Hazard statement Code(s):
H314 - Causes severe skin burns and eye damage.

Corrosive product: causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS05 - Danger

Hazard statement Code(s):



H314 - Causes severe skin burns and eye damage.

Supplemental Hazard statement Code(s):
not applicable

Precautionary statements:

Prevention

P260 - Do not breathe vapours.

P264 - Wash your hand thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor/physician

Disposal

P501 - Dispose of contents / container in accordance with local and national regulations.

Contains:

sodium hydroxide

For professional use only

UFI: X CJ1-W0G4-6007-2MP7

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
sodium hydroxide	>= 25 < 35%	Skin Corr. 1A, H314 Limits: Skin Corr. 1A, H314 %C >=5; Skin Corr. 1B, H314 2<= %C <5; Skin Irrit. 2, H315 0,5<= %C <2; Eye Irrit. 2, H319 0,5<= %C <2; ATE oral = 140,0 mg/kg	011-002-00-6	1310-73-2	215-185-5	ND

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
		ATE dermal = 1.350,0 mg/kg				

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the environment. Immediately remove the patient from the contaminated area and keep him at rest in a well ventilated area. In case of malaise consult a doctor.

Direct contact with the skin (of the pure product):

Take off contaminated clothing immediately.

In case of contact with the skin, wash immediately and abundantly with soap and water several times. Then use a slightly acidic aqueous solution, such as vinegar, lemon juice or 5% diluted acetic acid to neutralize. Then wash and rinse thoroughly with water.

Consult a physician immediately.

Direct contact with the eyes (of the pure product):

Wash immediately and abundantly with running water, with eyelids open, for at least 10 minutes; then protect the eyes with dry sterile gauze. Seek immediate medical attention.

Do not use eye drops or ointments of any kind before the visit or the advice of the ophthalmologist.

Ingestion:

Do not absolutely induce vomiting or emesis. Immediately contact a POISON CENTER and contact a doctor or ambulance.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER/doctor/physician

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Wear protective gloves and clothing.

Eliminate all open flames and possible sources of ignition.

Not smoking.

Provide adequate ventilation.

Evacuate the danger area and, if necessary, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

Wear protective gloves/protective clothing/eye protection/face protection.

In residential areas do not use on large surfaces.

At work do not eat or drink.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and `direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:
Handle with extreme caution.
Store in a well ventilated place away from heat sources.

Public domain (administration, education, entertainment, services, craftsmen):
Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Related to contained substances:

sodium hydroxide:

TLV: 2 mg/m³ (valore Ceiling) (ACGIH 2004).

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) PEL: 2 mg/m³

- Substance: sodium hydroxide

DNEL

Local effects Long term Workers inhalation = 1 (mg/m³)

Local effects Long term Consumers inhalation = 1 (mg/m³)

8.2. Exposure controls

Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection

Wear mask

(b) Skin protection

(i) Hand protection

Handle with gloves. Gloves must be checked before use. Use a technique suitable for removing gloves (without touching the outer surface of the glove) to avoid the skin contact with this product. Dispose of contaminated gloves after use in accordance with current legislation and good laboratory practices. Wash and dry your hands.

The selected protective gloves have to satisfy the requirements of EU directive 89/686 / EEC e the resulting EN 374 standards.

Full contact

Material: Nitrile rubber

minimum thickness: 0.11 mm

breakthrough time: 480 min

The choice of an appropriate glove depends not only on the material but also on other quality characteristics which vary from one manufacturer to another.

For the choice of the type of gloves to use consult the supplier / manufacturer of the gloves.

Observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Use adequate protective respiratory equipment (EN 14387:2008)

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	Liquid	
Colour	colorless	
Odour	caratteristico	
Odour threshold	not determined	
Melting point/freezing point	< 0 °C	
Boiling point or initial boiling point and boiling range	not determined	
Flammability	irrelevant	
Lower and upper explosion limit	not determined	
Flash point	> 65 °C	ASTM D92
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
pH	11-12 sol. 1%	
Kinematic viscosity	not determined	
Solubility	Completely soluble in water	
Water solubility	Completely soluble in water	
Partition coefficient n-octanol/water (log value)	not determined	
Vapour pressure	not determined	
Density and/or relative density	1,2 - 1,3 g /cm ³	
Relative vapour density	not determined	
Particle characteristics	not determined	

9.2. Other information

9.2.1 Information with regard to physical hazard classes

No data available.

9.2.2 Other safety characteristics

Content of VOC ready to use condition: 0,35 %

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.

It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation: Corrosive product: causes severe skin burns and eye damage.

(c) serious eye damage/irritation: Corrosive product: causes severe skin burns and eye damage.

(d) respiratory or skin sensitisation: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

sodium hydroxide:

Routes of exposure: the substance can be absorbed into the body by inhalation of its aerosol or per ingestion.

INHALATION RISK: evaporation at 20 °C is negligible; a harmful concentration of particles however can be dispersed and inhaled quickly.

Effects Of Short-term Exposure: Corrosive. The substance is very corrosive to the eyes, skin and respiratory tract.

Corrosive if swallowed. Aerosol inhalation of the substance can cause pulmonary edema (see notes).

Effects of long-term or repeated: repeated or prolonged Contact with skin may cause dermatitis.

Acute hazards/symptoms INHALATION AS corrosive. Burning sensation. Sore throat. Cough. Respiratory difficulties.

Shortness of breath. Symptoms may be delayed (see notes).

SKIN Corrosive. Redness. Pain. Severe skin burns. Blisters.

Corrosive EYES. Redness. Pain. Blurred vision. Severe deep burns.

SWALLOWING Corrosive. Burning sensation. Abdominal pain. Shock or collapse.

NOTE exposure limit value must not be exceeded in any moment of occupational exposure. Symptoms of lung oedema often do not occur before a few hours and are aggravated by physical effort. Are therefore essential rest and medical observation.

Acute oral toxicity LD50: 140-340 mg/kg (Rat) Acute dermal toxicity LD50: 1.350 mg/kg (rabbit)

LD50 (rat) Oral (mg/kg body weight) = 140

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 1350

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

sodium hydroxide:

This substance can be dangerous for the environment; Special attention must be paid to aquatic organisms.

Use according to good working practices, avoiding release of the product in the environment.

Leuciscus idus melanotus Fish LC50 213mg/L, 48 h, Juhnke et al. (1978), Wasser Abwasser Forsch Z, 11, 161-164

LC50 fish Leuciscus idus melanotus 189mg/L, 48 h, Juhnke et al. (1978), Wasser Abwasser Forsch Z, 11, 161-164

Toxicity LC50 fish-Gambusia affinis (Buzzacchiotto)-125 mg/l 96-h LC50-Oncorhynchus mykiss (rainbow trout)-45.4 mg/l

96-h Toxicity to daphnia and other aquatic invertebrates – Daphnia EC50 Immobilization-40.38 mg/l-48 h

C(E)LC50 (mg/l) = 40,380001

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information**14.1. UN number or ID number**

ADR/RID/IMDG/ICAO-IATA: 1824

If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 1 L per package 30 Kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 1 L per package 20 Kg

**14.2. UN proper shipping name**

ADR/RID/IMDG: IDROSSIDO DI SODIO IN SOLUZIONE

ADR/RID/IMDG: SODIUM HYDROXIDE SOLUTION

ICAO-IATA: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 8

ADR/RID/IMDG/ICAO-IATA: Label : 8

ADR: Tunnel restriction code : E

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 1 L

IMDG - EmS : F-A, S-B

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: II

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is not environmentally hazardous

IMDG: Marine polluting agent : Not

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EU) No 1357/2014 - waste:

HP8 - Corrosive

Substances in the Candidate List (REACH Article 59)

Based on available data, no SVHC substances are present

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 1.1. Product identifier, 1.2. Relevant identified uses of the substance or mixture and uses advised against, 2.1. Classification of the substance or mixture, 2.2. Label elements, 2.3. Other hazards, 4.1. Description of first aid measures, 6.1. Personal precautions, protective equipment and emergency procedures, 8.1. Control parameters, 8.2. Exposure controls, 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008, 12.5. Results of PBT and vPvB assessment, 12.6. Endocrine disrupting properties, 14.2. UN proper shipping name, 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of the hazard statements exposed to point 3

H314 = Causes severe skin burns and eye damage.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H314 - Causes severe skin burns and eye damage. Classification procedure: Calculation method

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

** The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.
